

| Introduction Pure Water System | PURE WATER SYSTEM |
|---|---|
| Green Label sustainably certified Window Cleaning Tools 32 Introduction Traditional Window Cleaning 34 Squeegees 35 Washers 42 Scrapers 46 Telescopic Poles 50 Adapters & Maintenance 54 Cloths 55 Belts, Pouches, Buckets 56 Gloves & Soap 57 Cleaning Kits 58 INDOOR WINDOW CLEANING STINGRAY OS System 61 Indoor Window Cleaning System 64 LITTER PICKING & REACHING AIDS Introduction 65 Grabber 66 NiftyNabber® Trigger 66 NiftyNabber® Pro 66 Paper Picker 66 Waste Collection 67 Floor Cleaning 66 MAINTENANCE Introduction 67 Floor Cleaning 67 Floor Cleaning 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Cloths & Sprayer 80 | A: Pure Water Filters 1ntroduction 6 HydroPower® Ultra Filter 7 Ion Exchange Resin 9 HydroPower® RO Filter 10 HiFlo RO Filter 12 HydroPower® RO XXL 14 Reverse osmosis filter Overview 15 HydroPower® Kits 16 B: Water Fed Pole System 17 nLiTe® Connect Water Fed Pole system 21 nLiTe® Angle adapter 22 nLiTe® Power Pad 24 nLiTe® Brushes 26 |
| Introduction Traditional Window Cleaning. 34 | TRADITIONAL WINDOW CLEANING |
| STINGRAY OS System 61 Indoor Window Cleaning System 64 LITTER PICKING & REACHING AIDS Introduction 65 Grabber NiftyNabber® Trigger 66 NiftyNabber® Pro 66 Paper Picker 66 Waste Collection NiftyNabber® Bagger 66 MAINTENANCE Introduction 67 Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Microfibre Cloths, Grading System 79 Cloths & Sprayer 80 | Introduction Traditional Window Cleaning 34 Squeegees 35 Washers 42 Scrapers 46 Telescopic Poles 50 Adapters & Maintenance 54 Cloths 55 Belts, Pouches, Buckets 56 Gloves & Soap 57 |
| STINGRAY OS System 61 Indoor Window Cleaning System 64 LITTER PICKING & REACHING AIDS Introduction 65 Grabber NiftyNabber® Trigger 66 NiftyNabber® Pro 66 Paper Picker 66 Waste Collection NiftyNabber® Bagger 66 MAINTENANCE Introduction 67 Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Microfibre Cloths, Grading System 79 Cloths & Sprayer 80 | INDOOR WINDOW CLEANING |
| Introduction 65 Grabber NiftyNabber® Trigger 66 NiftyNabber® Pro 66 Paper Picker 66 Waste Collection NiftyNabber® Bagger 66 MAINTENANCE Introduction 67 Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Microfibre Cloths, Grading System 79 Cloths & Sprayer 80 | STINGRAY OS System61 |
| Grabber NiftyNabber® Trigger 66 NiftyNabber® Pro 66 Paper Picker 66 Waste Collection 66 NiftyNabber® Bagger 66 MAINTENANCE 67 Introduction 67 Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Cloths & Sprayer 80 | LITTER PICKING & REACHING AIDS |
| Introduction 67 Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 9 Microfibre Cloths, Grading System 79 Cloths & Sprayer 80 | Grabber NiftyNabber® Trigger |
| Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Cloths & Sprayer 80 | MAINTENANCE |
| Dusting & Brushes | Floor Cleaning erG0! clean & wax System 68 Double Bucket / OmniClean System 72 Microfibre Mops & Mop Holder 73 Floor Squeegees 75 Floor Handles 77 Maintenance Tools 78 Floor Scrapers 78 Microfibre Cloth System 79 Cloths & Sprayer 80 |
| Brushes & Dusters | Brushes & Dusters |
| Spare Parts83 | Ç |





INNOVATIVE PROFESSIONAL QUALITY AND SUSTAINABLE RESPONSIBILITY.

Since 1964, UNGER has been meeting the needs of cleaning professionals who expect maximum quality, efficiency and innovation from their glass and building cleaning products. With each passing year, we have expanded and improved our range; today we are at the forefront of our industry. What is the secret behind becoming number one? Our relentless pursuit of innovative cleaning methods, outstanding quality, trust and excellent customer service, and our partnership

Looking to the future: UNGER's Green Label

On our 60th anniversary, not only are we looking back at all that has been achieved - we also want to look forward to the

UNGER is proud to hold the EcoVadis bronze sustainability certificate. But we BRONZE would much rather let our actions speak 2023 for themselves. They prove that ecovadis sustainability, as well as social Sustainability Rating responsibility, belong to our core values. It goes without saying that we will continue to work towards the common good for the

next 60 years so we can create a future for all that is worth living.

UNGER:

60 Years of Global Excellence in Cleaning Innovation



WINDOW CLEANING

PURE WATER SYSTEM

Cleaning with Pure Water

WHAT IS PURE WATER?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks.

Such impurities are referred to as TDS (total dissolved solids) and are measured in ppm (parts per million).

The water is considered 100 % demineralised (pure) when TDS is 0 ppm.

ADVANTAGES



EASY:

Easy to operate and simple resin change.

FAST:



Twice as fast as traditional glass cleaning - just one process.



COST-SAVING:

Half the labour costs. No rental for cherry picker.



ENVIRONMENTALLY FRIENDLY:

Glass cleaning completely without chemical cleaning agents.




SAFF.


Safe working from the ground up to the 6th floor, with no cherry picker or ladder whatsoever.

WHY USE PURE WATER FOR CLEANING?

Pure water contains phenomenal cleaning power – without using any chemicals whatsoever. One-step cleaning with pure water means there is no need to wipe and polish the glass. The pane dries streak-free and without any deposits. It is twice as quick as with traditional glass cleaning and significantly improves the cost calculations*.

Applied with a water fed pole system, such as **UNGER nLITE®**, pure water is a fast, safe and effective method of cleaning, especially at height.





TYPICAL APPLICATIONS



WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas



PV- AND SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Solar yield can be increased significantly!
- Cleaning with 100 % pure water leaves no streaks or detergent residue



The UNGER Pure Water System



There are 2 recognised methods of pure water production in the window cleaning industry – Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods - turn to page 21 for more information.



A technological milestone: The new **nLITE®** system is the best and most advanced telescopic pole system that has ever existed. Ultra-light materials make work considerably easier. The innovative pole shape ensures noticeably more precision. And thanks to the easy handling of the poles and many intelligent product details, pure water cleaning is done faster than ever before.

With the high-quality material classes used, the **nLITE®** system is suitable for every application and every budget and proves to be perfect equipment for every working height - of course with **UNGER** quality "Made in Germany".



PURE WATER FILTERS

Choosing Your Filter System

There are 2 recognised methods of pure water production in the window cleaning industry - Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods. This page will help you to decide which method suits your cleaning requirements best and will deliver the highest return on your investment.

HYDRO POWER® ULTRA DEIONISATION FILTER (DI)

p. 7



These filters utilise ion exchange resin which removes ionised salts and impurities from water, producing 100 % deionised pure water, with no waste water.

Though DI filters require a relatively low initial investment when compared to RO, frequent replacement of old resin with new is necessary for 100 % pure water production.

Mobile design and portability, with no need for power or pumps, our DI filters can be easily set up anywhere – all you need is a tap water supply.

RECOMMENDED FOR:

- Areas with soft or medium water hardness level
- Small size filters are ideal for cleaning small to moderate size areas, as well as an entry level solution for professional
- Large sizes for frequent cleaning of large areas
- Use as final stage of water purification process, after RO membrane, to achieve 100 % pure water



p. 10



The **UNGER RO** utilizes 3 stage water purification system.

First, the combi-pre-filter captures chlorine and sediments from the incoming water, then the water is directed towards 2 RO membranes which remove up to 98 % of dissolved minerals and contaminants.

At this point, the water flow is split into waste water (concentrate) that requires drainage facility and pure water which is directed to DI Polisher where any remaining impurities are filtered by ion exchange resin to produce 100 % pure water.

RECOMMENDED FOR:

- · Areas with hard or very hard water level
- Constant, high volume pure water production

HYDRO POWER® ULTRA FILTER



THE HYDRO POWER® ULTRA SYSTEM

The Most Efficient DI Pure Water System Ever! Performance at the highest level:

The **UNGER HydroPower®** Ultra is setting a new standard in deionising filter technology for pure water cleaning. A definite value-add for every professional glass and building cleaner.

Over 30 %* More Pure Water Per Resin Filling



*In comparison with standard DI systems (e.g. UNGER HydroPower® DI filters). Source: test results from the independent testing laboratory Miontec GmbH, 2019.

HYDRO POWER® ULTRA FILTER

SIMPLE AND EFFECTIVE HANDLING



TDS-Meter

- Integrated digital measuring device displays the water hardness of the pure water coming out in ppm
- At a TDS value >10ppm the Ultra Resin Packs have to be changed

Easily removable cover

- Quick and easy changeover
- Ultra resin packs can be changed as easily as a coffee pad in a coffee machine



FastLock quick-fit fastener

- Easy to open and close the tank
- Safe, self-locking mechanism with pressure-relief valve



High-quality metal connections

- Stable guick-fit metal hose connector
- Reliable quick release connectors, suitable for most hoselock type fittings commonly used on most water fed poles
- Practical shut-off valve prevents leakage during transport

Choose from 2 filter sizes depending on the volume of pure water required and frequency of use to maximise your return on investment. All 3 versions are supplied complete with Ultra Resin Packs and integrated TDS meter to monitor the outgoing water hardness.



DIUH1 HydroPower® Ultra S HydroPower® Ultra L



DIUH2



HydroPower® Ultra LC

FILTER OUTPUT

In particular the water hardness and the hydrogen carbonate content of the input water have a strong influence on the amount of pure water. The following values correspond to the output of UNGER HydroPower® Ultra with average tap water:



| HydroPower Ultra S (DIUH1) | | | |
|---------------------------------------|----------------|--|--|
| Factor | Value | | |
| Resin fill | 1 × 6 l | | |
| Pure water quantity per resin filling | 710 l | | |
| Working hours* | approx. 6 h | | |
| Coverage in m ² ** | approx. 600 m² | | |



| HydroPower Ultra L (DIUH2) | | | |
|---------------------------------------|------------------------------|--|--|
| Factor | Value | | |
| Resin fill | 3 × 6 l | | |
| Pure water quantity per resin filling | 2.450 l | | |
| Working hours* | approx. 20 h | | |
| Coverage in m ² ** | approx. 2.000 m ² | | |



| | HydroPower Ultra LC (DIUH3) | | | |
|---|---------------------------------------|------------------------------|--|--|
| | Factor | Value | | |
| | Resin fill | 3×61 | | |
| | Pure water quantity per resin filling | 2.450 l | | |
| • | Working hours* | approx. 20 h | | |
| | Coverage in m ² ** | approx. 2.000 m ² | | |

The pure water quantities (TDS < 10 ppm) were determined by an independent test laboratory at a water flow rate of 180 l/h and under the following conditions for the input water:

TDS: 275 ppm

Sum of cations and anions: 5,5 meq/l Hydrogen carbonate content of anions: 60%.

With *soft water* (<100 ppm) the pure water output can increase more than 3 times. With very hard water (>400 ppm), depending on the hydrogen carbonate content and ion concentration, the output can decrease by more than half.

- * at a water flow rate of 120 l/h
- with an area output of 100 m²/h

| HydroPower® Ultra FILTER | | | | | |
|--------------------------|------------|--------|-------------|------|--|
| Part No. | Base | Height | Resin Packs | Cart | |
| DIUH1 | 30 × 31 cm | 35 cm | 1 (6 l) | - | |
| DIUH2 | 30 × 31 cm | 77 cm | 3 (18 l) | - | |
| DIUH3 | 30 × 31 cm | 107 cm | 3 (18 l) | ✓ | |

ION EXCHANGE RESIN



Ultra RESIN PACKS FOR HYDRO POWER® ULTRA FILTER

Over 30 %* more pure water per resin filling



| Ultra RES | IN PACKS | | |
|------------------|---|------|--|
| Part No. | Info | Pack | |
| DIUB1 | 3 × Ultra Resin Packs (18 l) for DIUH1, DIUK1 | 1 | |
| DIUBS | 1 × Ultra Resin Pack (6 l) for DIUH1, DIUK1 | 1 | |
| DIUB3 | Kit with 3 Ultra Resin Packs (18 l) for DIUH2, DIUH3 | 1 | |

Every Ultra resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a **new formula**, **perfected for glass cleaning**

The **FloWater technology 2.0** in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the **resin saturation**



QuickChange RESIN BAGS FOR HYDRO POWER® DI FILTER

High comfort





The **QuickChange** Resin Bags allow users to speed up the resin change process - simply remove the bag with expired resin and insert a new one.

The **QuickChange** Resin Bags offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!



| QuickChange RESIN BAGS 6 L | | | |
|----------------------------|-----------------------------------|------|--|
| Part No. | Info | Pack | |
| DIB64 | 4 bags (24 l) in air tight bucket | 1 | |
| DIB84 | 4 bags (24 l) in air tight bag | 1 | |

PREMIUM GRADE VIRGIN MIXED BED RESIN

High capacity virgin mixed bed ion exchange resin for total de-ionisation and purification of water. Immediately produces 100% pure water for streak free glass cleaning.





Consisting of a mixture of a gel, type I strong basic anion exchanger, and a gel, strong acid-cation resin, for the direct demineralization of water. 40 % cation, 60 % anion, pH range 0-14.

Suitable for use in:

- Refillable DI cartridges
- DI pressure vessels
- Filters for Pure Water Window Cleaning

PREMIUM GRADE VIRGIN MIXED BED RESIN

| Part No. | Product | Pack |
|----------|-------------|------|
| DIP25 | Bucket 25 l | 1 |
| DIB25 | Bag 25 l | 1 |

RESIN CHANGE

The conductivity measurement is used to monitor water quality. If a conductivity measurement (integrated TDS-metre) indicates a value of > 10 ppm, the resin must be replaced.

^{*}In comparison with standard DI systems (e.g. **UNGER HydroPower® DI** filters). Source: test results from the independent testing laboratory Miontec GmbH, 2019.

HYDRO POWER® RO S



REVERSE OSMOSIS FILTER (RO)

HydroPower® R0 S Pure water for everyone!

With the entry-level model **HydroPower RO S**, cleaning can be carried out with pure water with minimum operating costs - especially in areas with hard water. Due to its compact and robust design, the new **HydroPower RO S** system is easy to transport.

The proven RO technology from **UNGER** is based on a 3-stage filtering process for 100 % pure water, whereby the required water pressure is generated with a high-quality stainless steel pump.

BOOST FUNCTION

- Pure water mode: pure water for streak-free cleaning of windows and facades
- Boost mode: tap water at 8-10 bar for pre-rinsing heavily soiled surfaces

SIMPLE AND SAFE OPERATION

- TDS measuring device shows the quality of the source water at the push of a button
- Manual flushing of the RO membrane for an extended service life
- Automatic shutdown function to protect the pump if the water supply fails

POWERFUL QUALITY PUMP

- Centrifugal pump made of stainless steel for constant and high water flow
- Trouble-free operation even after a long time

QUICK MAINTENANCE.

- The pre-filter and DI filter are easy to replace and can be visually inspected during work
- Removable back cover for easy access to all electrical components

COMPACT AND ROBUST DESIGN

- High-quality materials ensure a long service life
- Durable stainless steel quick connectors prevent dripping
- Heavy-duty stainless steel frame with maintenance-free solid rubber wheels



| HydroPower® RO S | |
|------------------|------|
| Part No. | Pack |
| RO20C | 1 |

HYDRO POWER® RO M



REVERSE OSMOSIS FILTER (RO)

HydroPower® R0 M The pure power of pure water

MODERN DESIGN AND HIGH PERFORMANCE


When it comes to developing new solutions for safe and efficient cleaning, **UNGER** always impresses with innovative product ideas. Discover the pure power of pure water with the **HydroPower® RO** M.

The compact and mobile filter system impresses with its outstanding performance features and ease of use – a real added value for professional window cleaners.

100% PURE WATER

The **HydroPower® RO** M demineralises water in a 3-stage process. The combination pre-filter removes fine particles and chlorine. The high-performance double membrane filters out up to 98 % of the minerals. In the third stage, the remaining minerals are bound by an ion exchange resin.

TDS METER



DOUBLE MEMBRANE

 very high water production, approx. 350 l/hour*

COMBINATION
PRE-FILTER FINE
PARTICLES/CHLORINE

DOWNSTREAM RESIN FILTER

2 METAL WATER OUTLETS

• for 2 users at the same time

HIGH PERFORMANCE PUMP

• constant and high water flow



*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.



HIFLO RO GLASS FACADES



REVERSE OSMOSIS FILTER (RO)

HiFlo RO Glass facades The high performance RO-filter for real professionals

- Perfect for cleaning **large glass facades** more water for cleaning and rinsing on the surface
- Downstream resin filter 100 % pure water production
- Suitable for two workers without loss of capacity, or for one worker with increased water output
- Ideal for tank filling
- Automatic pump control with dry run protection
- Incl. TDS meter for checking the water and resin quality

DOUBLE MEMBRANE

• extended water output, approx. 700 l/hour*

RESIN FILTER FOR POLISHING (4,51)

• 100 % pure water production

COMBI PRE-FILTER SEDIMENT & CHLORINE

• to protect both membranes

PURE WATER FLOW METRE

 Displays the produced amount of pure water



EXTRA HIGH POWER PUMP

• supports the high water flow



Pack

| HiFlo RO | BLASS FACADES |
|----------|---------------|
| Part No | |

*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

A PURE WATER FILTERS HIFLO RO SOLAR



REVERSE OSMOSIS FILTER (RO)

HiFlo RO Solar Reverse osmosis filter with high pure water production for large areas

- Perfect for cleaning of **solar panels** more water on the panel, better rinsing and cleaning
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Ideal for tank filling
- Carbon filter lasts app. 200.000 l at 2 ppm chlorine
- Built in TDS meter monitors water quality
- Automatic pump control with dry run protection for added safety
- High quality, corrosion-resistant stainless steel frame





DOUBLE MEMBRANE

• extended water output, approx. 750l/hour

LARGE CARBON PRE-FILTER

• to save membranes from chlorine

LARGE SEDIMENT PRE-FILTER

• to protect both membranes

PURE WATER FLOW METRE

• Displays the produced amount of pure water

EXTRA HIGH POWER PUMP

• supports the high water flow



*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

HYDRO POWER® RO XXL

THE HYDRO POWER® RO XXL SYSTEM

- Fully integrated trailer system with reverse osmosis filter and 650 l water tank
- Total flexibility for producing and transporting 100 % pure water for water fed pole cleaning!
- The ONLY real alternative to commercial van mounted systems



MOBILITY:



Suitable for vehicles with towing capacity of at least.500 kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights and indicators with brake assist. Supplied with European standard coupling, jockey wheel and manual parking brake. Conforms to EU regulations.

SAFETY:



The multi-chamber tank design with low centre of gravity is designed to maximise stability during transportation. Also includes Auto Shut Off features, activated during water production mode when the tank becomes full and during use when the TDS of the outgoing water measures 5 ppm (can be changed to lower or higher number).

FLEXIBILITY:



The flow rates for Wash and Rinse modes can be adjusted anytime at the digital control panel. This allows the operator(s) to choose more or less powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed. You can also switch between Wash and Rinse modes at the touch of a button using the wireless remote control.

PROTECTION:



Optional protection cover for the hose reels. Robust truck tarpaulin that can be fixed on the new fixing point at the trailer frame.

- Maximum tank capacity: 650 l pure water
- 1 or 2 man operation via 2 stainless steel hose reels and $2 \times 12 \text{ V}$ (10 bar, 150 psi) pumps
- 2 high quality 100 m hoses for optimal reach
- Pure water output up to 125 l per hour per person
- Digital controller monitors water flow, pressure and battery power
- Control water flow manually or by wireless remote control (max. reach 100 m in open area)
- High capacity 12 Volt AGM battery offers 'all day' operation before requiring recharge
- Maintenance free 210 amp hour AGM battery with mains charger supplied
- 3 stage water purification production with dedicated 12 V (10 bar, 150 psi) pump.
 (Carbon Pre-filter RO Membrane and HydroPower® DI

(Carbon Pre-filter, RO Membrane and **HydroPower® DI** Filter Polisher)



AUTOMATIC FLUSH FUNCTION

- Extended lifespan of the membrane:
 An automatic 5 minute rinse at the start of the water filtration process flushes out impurities and helps to keep the membrane clean which significantly extends its service life.
- Reduced DI resin consumption:
 Optimised membrane performance results in higher purity of the water passing through the DI filter and therefore extends resin lifetime.
- Simplified membrane care:
 The conservation liquid is rinsed out from the membrane automatically, saving time and effort it would take you to do this manually.

HydroPower® RO XXL TRAILER

Part No.

TRLR1

18845 (Protection Cover)



REVERSE OSMOSIS FILTER













| | HydroPower® RO S (R020C) | HydroPower® RO M (R035C) | HiFlo RO Glass facades (RO60C) | HiFlo RO Solar (RO60S) | HydroPower® RO XX (TRLR1) |
|--|---|---|---|---|--|
| Main features | • Compact design | High performance Easy operation | High performance RO filter High pure water production for large glass surfaces | High performance RO fitter High pure water production for PV & solar systems | Trailer system for producti and transport of pure wate 650 l pure water tank |
| Water output power* up to | 180 l/h Boost mode: 1,000 l/h | 350 l/h | 700 l/h | 750 l/h | 2 × 125 l/h |
| Water outlets | 1 | 2 | 1 | 1 | 2 |
| Pump performance | 0,97 kW | 0,97 kW | 1,1 kW | 1,1 kW | 3 × 0,1 kW |
| Protection class electric pump | IP54 | IP54 | IP54 | IP54 | IP54 |
| Inlet pressure [bar] | 1 – 6 | 1 – 6 | 1 – 6 | 1 – 6 | 1 – 6 |
| Max. operating pressure [bar] | 10 | 10 | 10 | 10 | 10 |
| Pump dry run protection | ✓ | ✓ | ✓ | ✓ | ✓ |
| Pure water flow meter | analogue | analogue | analogue | analogue | - |
| Pre-filter | Combination filter Chlorine/Sediments (ROCA2) | Combination filter Chlorine/Sediments (ROCAR) | Combination filter Chlorine/Sediments (17509) | 1: Sediment filter (17521) 2: Chlorine filter (17919) | Chlorine filter (19080) |
| Membranes | 1 (ROME2) | 2 (ROMEM) | 2 (17189) | 2 (17189) | 1 (19076) |
| Resin filter | Cartridge 0,55 l (RORE2) | Cartridge 4,5 l (RORES) | Cartridge large 4,5 l (17201) | - | Resin bag 6 l (DIB64/DIB84) |
| TDS Sensors | at the water outlet | after membranes + at the water outlet | after membranes + at the water outlet | at the water inlet + at the water outlet | at the water outlet |
| Dimensions in cm (Height × Width × Depth) | 96 x 53 x 67 | 107 × 53 × 70 | 123 × 75 × 51 | 123 × 75 × 51 | 175 × 160 × 350 |
| Empty weight in kg | 45 | 75 | 83 | 83 | 740 |
| Weight including filling | 50 | 80 | 89 | 89 | 1.390 |
| Cable length in m | 1,5 | 1,5 | 1,5 | 1,5 | 1.6 (charger) |
| Battery power | _ | - | _ | _ | 12 V – 210 Ah |

^{*}At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

- The amount of produced pure water per hour depends on several factors:
 - Water Temperature the warmer the water, as more pure water can be produced.
 Hose diameter the bigger the hose diametre, the higher the waterflow is.
 Hose lenght the longer the hose, the less the waterflow is.

ACCESSORIES



TDS-METER

Handheld Total Disolved Solids (TDS) meter for measuring water hardness.

- Measures water hardness instantly in ppm (parts per million).
 Battery powered
 Includes protective leather pouch

| Part No. | Pack | |
|----------|------|--|
| ROTDS | 1 | |



SOAP DISPENSER

For adding cleaning liquid to pure water flow, after passing through the filter unit. - Perfect to lifting stubborn dirt and greasy residue from heavily soiled surfaces - Simple connection to standard garden hose

- Easy to refill and adjust concentration

| Part No. | Pack | |
|----------|------|--|
| HCDEU | 1 | |

HYDRO POWER® KITS



NEW CONFIGURATION!





| HydroPower® Ultra KITS | STARTER KIT POWER PAD | STARTER KIT ALU | STARTER KIT CARBON | EXPERT KIT L | EXPERT KIT LC |
|--------------------------|---|---------------------------|----------------------------|----------------------------|-----------------------------|
| HydroPower® Ultra Filter | DIUH1 | DIUH1 | DIUH1 | DIUH2 | DIUH3 |
| | (S) | (S) | (S) | (L) | (LC) |
| nLITE® Telescopic Pole | ED600 | AN60G | CC60T | CF86G | CF86G |
| | OptiLoc, 3 sections, 6m | Aluminium Master 6 m | Carbon Composite 6 m | Carbon 24K, 8,60 m | Carbon 24K, 8,60 m |
| nLITE® Angle adapter | | NGC15 S (15 cm) | NGS15 S (15 cm) | NGS15 S (15 cm) | NGS30 M (42 cm) |
| nLITE® Brush | PWH35 PowerPad 35cm | NFF28 | NFK28 | NFK28 | NFR28 |
| | PHP35: Microfibre Pad | Power, 28 cm, flagged | Power, cpl. 28 cm, flagged | Power, cpl. 28 cm, flagged | Angle Brush, 28 cm, flagged |
| nLITE® Hose | DLS25 | DLS25 | DLS25 | DLS25 | DLS25 |
| | Duro Flex 25 m | Duro Flex 25 m | Duro Flex 25 m | Duro Flex 25 m | Duro Flex 25 m |
| Accessories | NLWVI: Water flow regulator 10790: 2x Hooks&Loops strips | | | | |
| Part No. | DINK0 | DIUK1 | DINK1 | DINK2 | DINK3 |
| Pack | 1 | 1 | 1 | 1 | 1 |
| | Length | Length | Length | Length | Length |
| | 6,00m/20ft | 6,00m/20ft | 6,00m/20ft | 8,60m/28ft | 8,60m/28ft |





| HydroPower® RO KITS | RO S COMPLETE KIT CARBON 24K | RO M HIGH RISE KIT HiMod | RO M SKY RISE KIT Ultra HiMod |
|-----------------------------|----------------------------------|---------------------------------|---------------------------------|
| HydroPower® R0 Filter | R020C | R035C | R035C |
| | (R0 S) | (R0 M) | (R0 M) |
| nLITE® Telescopic Main Pole | CF86G | UC67G | UH67G |
| | Carbon 24K 8,60m | nLite Connect HiMod 6,60m | nLite Connect Ultra HiMod 6,60m |
| nLITE® Extension Pole | CF33G | 2x UC35G | 4x UH35G |
| | Carbon 24K 3,20m | nLite Connect HiMod 3,40m | nLite Connect Ultra HiMod 3,40m |
| Accessories | NLHCC Extensionadapter | | |
| nLITE® Angle adapter | NG530 | NGC30 | NGC30 |
| | (M) 42 cm | (M) 42 cm | (M) 42 cm |
| nLITE® Brush | NFK41 | NFK41 | NUR41 |
| | Power, 41 cm, flagged | Power 41 cm, flagged | Angle brush 41 cm, unflagged |
| nLITE® Hose | DLH25 | DLH25 | DLH25 |
| | Duro Flex High Performance 25 m | Duro Flex High Performance 25 m | Duro Flex High Performance 25 m |
| Part No. | RONK1 | RONK2 | RONK3 |
| Pack | 1 | 1 | 1 |
| | | | |


Length 11,90m/39ft Length 13,40m/44ft Length 22m/72ft




B WATER FED POLE SYSTEM



Unprecedented dimensions in window cleaning





-Colour = material quality

Height indication = working height





| | | CARBO | N COMPOSITE | | CARBO | N 24K | HIMod CARBON | Ultra HiMod CARBON |
|-------------|--------------|-----------|-------------|-----------|-----------|---------------------|---------------------|-----------------------|
| Part N° | СС32Т | CC60T | CC16T | CC85T | CF60T | CF86G + 2x CF33G | UC67G + 4x UC35G | UH67G + 4x UH35G |
| Elements | 2 | 4 | 2 | 6 | 4 | 6 + 2 x 2 | 4 + 4 x 2 | 4 + 4 x 2 |
| Pole length | 3,20 m | 6,00 m | 1,60 m | 8,60 m | 6,00 m | 14,70 m | 19,50 m | 19,50 m |
| Recommended | Ground floor | 1st floor | Boom lift | 2nd floor | 1st floor | 4th floor | 6th floor | 6th floor |
| Strength | 100 GPa | 100 GPa | 100 GPa | 100 GPa | 210 GPa | 210 GPa | 360 GPa | 760 GPa |

B WATER FED POLE SYSTEM





A milestone for pure water cleaning:

The **nLITE**® waterfed pole system

TOP PERFORMANCE THROUGH PROGRESS

Innovation, high quality, and customer-oriented development have always been **UNGER**'s guiding principles. This applies once again to the current generation of the **nLITE®** telescopic pole system:

- · German engineering in a timelessly stylish design
- Intelligent solution for faster, more flexible system setup
- Pioneering technologies for more effective cleaning results
- High Quality Made in Germany

MORE STABLE, HIGHER, MORE PRECISE, WOW!

UNGER has developed its **nLITE**® telescopic poles to take your performance to new heights.

Maximising refined details and precision while minimising time and effort spent getting organised for your work.

- No twisting: trouble-free work and less wear and tear
- Optimal stability-to-weight ratio
- · Greater pole rigidity
- More precise control of the cleaning movement






- Easy and quick to close with just one finger
- Robust 2C material
- Clamp mechanism that protects the carbon material and ensures a long service life for the pole
- Extension stop prevents pulling out pole elements too far

INTEGRATED HOSE MANAGEMENT

- Internal routing of the highly flexible Duro-Flex hose in the telescopic pole for troublefree work on windows and facades
- Complete flexibility: external routing possible thanks to optional nLITE® clips



- Innovative, unique pole shape, with contact surfaces optimally adapted to the shape of your hand.
- For ergonomic working and making best use of your strength
- More precise control of the cleaning movement and high force transmission
- \bullet Uninterrupted work due to non-twisting pole



HIGH-END CARBON MATERIALS

Discover the best and most advanced telescopic waterfed pole system today:





LIGHTER, MORE PRECISE, FASTER



Ultra-lightweight. Extremely durable.

• CARBON COMPOSITE: High quality mix of carbon and glass fibres

• CARBON 24K: Premium carbon fibres in a unique weave of 24,000

fibres per bundle



B WATER FED POLE SYSTEM






Extendable carbon 24K poles:

The pole lengths offered by the **nLITE®** system have been created and optimised for your everyday work.


You can easily think of how many floors' you can clean. The telescopic main pole now measures 8,60 m, so it extends to the 2nd floor. Each extension pole offers exactly the additional length to take you up another storey (3,05 m).

For use in less high buildings or with a boom lift, we have the right solution for you with telescopic poles ranging from 1,60 m to 6,00 m in length.

UNGER guarantees the best possible premium guality in each of the material classes used and thus the perfect solution for every working height.








BWATER FED POLE SYSTEM









| nLITE® CARBON COMPOSITE TELESCOPIC POLE | Part No. | Info | Extended | Collapsed | Sections | Weight | Extendable | Pack |
|--|----------|-----------------|----------|-----------|----------|---------|------------|------|
| Telescopic pole for small to medium heights. - Recommended for working heights of up to 10 m (approx. 2 floors) | CC16T | Telescopic pole | 1,60 m | 0,90 m | 2 | 0,46 kg | | 1 |
| - Telescopic poles, not extendable - Resilience: 100 GPa* | CC32T | Telescopic pole | 3,20 m | 1,70 m | 2 | 0,70 kg | | 1 |
| | CC60T | Telescopic pole | 6,00 m | 1,70 m | 4 | 1,41 kg | | 1 |
| | CCSST | Telesconic nole | 8 40 m | 1.70 m | 6 | 2 20 kg | | 1 |







| nLITE® CARBON COMPOSITE COMPLETE POLE | Part No. | | Pack |
|--|----------|------------------|------|
| Content: CC85T Telescopic pole, 6 sections, 8,60 m [not extendable] NGS15 Angle adapter kit S, 15 cm NFF28 Power brush simple, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm | CC85H | Length 8,60 m | 1 |

^{*}GPa (Gigapascal) is a unit of measure of material strength.

WATER FED POLE SYSTEM





FULL FLEXIBILITY

Modular construction allows you to add on or remove Extension Poles to create telescopic poles in different lengths for cleaning at various heights.

35 MM DIAMETER

Diameter of the nLite® Connect pole you are holding will never exceed 35 mm, irrespective of the number of Extension Poles.



YELLOW VISUAL WARNING AREA

The top of the Extension Pole helps to avoid unintentional separation.

Quality Tools for Smart Cleaning



DURABLE PLASTIC ENDCAP

Prevents accidental damage to the end of the pole and features a side apeture for the hose exit when used inside the pole.







ANGLE ADAPTER




Modular angle adapter system: Clean hard-to-reach places



ANGLE ADAPTER KITS





Simply adapt the modular angle adapter individually to your application

- Pole adapter
- Brush adapter
- Angle element short
- Angle element long





nlite® Angle adapter kits

For nLITE® CarbonComposite and Carbon 24K telescopic poles.

| Part No. | Info | Length | Pack | |
|----------|---------------------|--------|------|--|
| NGS15 | Angle adapter kit S | 15 cm | 1 | |
| NGS30 | Angle adapter kit M | 42 cm | 1 | |
| NGS45 | Angle adapter kit L | 82 cm | 1 | |

Not compatible with nLite® Connect poles.





ANGLE ADAPTER KITS FOR THE ROUND nLite® CONNECT POLES

Clean with the nLite® Connect HiMod, Ultra HiMod and Aluminium poles, always at the right angle. This means you also benefit from the versatile nLITE® brushes (Power, Angle, Soft and Hybrid)





nLite Connect® ANGLE ADAPTER

For nLite® Connect poles (HiMod, Ultra HiMod, Alu).

| Part No. | Info | Length | Pack | |
|----------|---------------------|--------|------|--|
| NGC15 | Angle adapter kit S | 15 cm | 1 | |
| NGC30 | Angle adapter kit M | 42 cm | 1 | |
| NGC45 | Angle adapter kit L | 82 cm | 1 | |

Not compatible with nLITE® Carbon 24K and Carbon Composite poles.





The new **nLITE**® **PowerPad** – for sensationally fast, effective and easy cleaning with pure water.

A new era is dawning for pure water cleaning. Once again, market leaders **UNGER** have come up with a ground-breaking innovation – the new **nLITE® PowerPad**, the ultimate alternative to brushes when **cleaning large ground floor glass surfaces.**

This outstanding cleaning tool is intuitive to use thanks to its intelligent and revolutionary design. It makes cleaning with pure water noticeably faster, easier and more effective.

The perfect tool for all experienced pure water professionals as well as those who are discovering **UNGER**'s pure water technology for the first time!

PERFECT RESULTS IN AN INSTANT!

The nLITE® PowerPad is easy and intuitive to use.

The sequence of movements is almost identical to that of classic window cleaning, meaning users achieve perfect cleaning results instantly without training time!

More advantages: The new **PowerPad** is fully compatible with all **nLITE®** and OptiLoc telescopic poles from **UNGER**, offering great on-site flexibility!



FULLY COMPATIBLE WITH nLITE® WATER FED TELESCOPIC POLES





INNOVATIVE 360° SWIVEL

- 360° movement up and down as well as left and right
- **Permanent contact** with the glass surface even when working laterally
- Easy and intuitive manual tool with S-shaped movements as with classic glass cleaning
- Can be locked in **7 working positions** for every type of use





- Faster dirt removal, as the microfibre cleaning pad has a larger contact area with the surface of the glass than a conventional brush with bristles
- **Self-cleaning effect** thanks to permanent pure water rinsing via the integrated Rinse Bar
- Highly effective microfibre technology for streak-free cleaning
- Glides easily over glass surfaces

RINSE BAR

Special rinse bar for powerful, uniform rinsing of the pad and glass over the entire width.



nLITE® POWER PAD

The ultimate alternative to brushes when cleaning large ground floor glass surfaces.

| Part No. | Product | Size | Pack | |
|----------|-------------------------|-------|------|--|
| PWH35 | PowerPad complete | 35 cm | 1 | |
| PWH45 | PowerPad complete | 45 cm | 1 | |
| PWP35 | Microfibre Cleaning Pad | 35 cm | 5 | |
| PWP45 | Microfibre Cleaning Pad | 45 cm | 5 | |

Pad: 90% polyester, 10% polyamide



HydroPower® Ultra S STARTER KIT POWER PAD

Conten

DIUH1 HydroPower® Ultra S ED&00 OptiLoc 3-section telescopic pole, 6 m DLS25 DuroFlex hose, 25 m, Ø 5/8 mm PWH35 nLITE® PowerPad, 35 cm PHP35 nLITE® Microfibre Cleaning Pad, 35 cm

PHP35 nLITE® Microfibre Cleaning Pad, 35 c NLWVI Water flow regulator for DLS25 10790 2 × hooks & loops strips

Part No. Pack
DINKO 1

Length 6,00 m

PALLIFE BRUSHES

The nLITE® Power Brushes for the daily challenges in cleaning with pure water



POWER BRISTLE TECHNOLOGY

Inner bristles with extremely high cleaning performance, comparable to natural hair bristles

Longer outer bristles for easy gliding: no more annoying jumping of the brush



The nLITE® Hybrid Brush made of boar bristles for extremely powerful cleaning performance

The brush is highly recommended for maintenance cleaning and for the cleaning of PV/solar modules. Easier glide and less weight than full natural hair brushes

BOAR BRISTLES

- Outside boar bristles high cleaning power of the folded bristles, no streaks
- Inside bristles with Power Bristle Technology very high scrubbing power, easy glide, low water absorption





SWIVEL LOCK

You've never cleaned faster and more precisely down to the last corner: the swivel function is a completely new way of cleaning with pure water up to the first floor (6 m). Open the SwivelLock and experience the advantages:

- The brush socket, which can be swivelled freely through 180°, enables the surface to be cleaned with an S movement with the brush touching down over the entire surface
- Enlarges the work area, ideal for cleaning from boom lifts or gondolas

RINSE BAR

RINSE BAR

This special flushing nozzle bar is attached above the brush and delivers the right amount of pure water exactly where it is needed for powerful rinsing of the cleaned surface -



SWIVEL LOCK

SWIVEL LOCK





The nLITE® Angle Brushes for large surfaces, frames and corners

HIGH BRISTLE DENSITY

Guarantees excellent cleaning with little bending as well as long durability.

The brush can also be used with hot water.



SPECIAL BRISTLE CUT

Allows even easier cleaning of corners with 90° angles. The short, stiff bristles inside the brush provide great scrubbing power.

ALL-ROUND SHOCK AND EDGE PROTECTION

The all-round shock and edge protection protects the window frame from scratches and damage and reduces noise when in contact with parts of the building. Firmly attached, cannot come loose.





High flexibility due to three ways of water supply and therefore extremely easy removal of dirt.

- Powerful cleaning by means of a water jet from the centrally integrated nozzle block.
 - The RinseBar can be used in two different positions: This means that window sills and roller shutter boxes can also be cleaned optimally.







PALITY BRUSHES





nLITE® POWER BRUSH, FLAGGED

Strong cleaning performance and perfect gliding performance. Recommended for maintenance cleaning

| Part No. | Size | Version | Pack |
|----------|-------|-----------------------------|------|
| NFK28 | 28 cm | with rinse bar + swivel loc | 1 |
| NFK41 | 41 cm | with rinse bar + swivel loc | 1 |
| NFF28 | 28 cm | simple | 1 |
| NFF41 | 41 cm | simple | 1 |





Very good cleaning performance. Optimal flushing of the bristles with almost no residue. Recommended for maintenance and solar cleaning.

| | | | - |
|----------|-------|-----------------------------|------|
| Part No. | Size | Version | Pack |
| NUK28 | 28 cm | with rinse bar + swivel loc | 1 |
| NUK41 | 41 cm | with rinse bar + swivel loc | 1 |



nLITE® ANGLE BRUSH, FLAGGED

Strong cleaning performance, large cleaning area.

Recommended for maintenance cleaning

- Angled back for larger surfaces, frames and corners

- High bristle density, excellent cleaning with little bending of the bristles
- Special bristle cut easy cleaning of corners with 90° angle
- All-round bumper and edge protection, firmly attached

| Part No. | Size | Pack |
|----------|-------|------|
| NFR28 | 28 cm | 1 |
| NFR41 | 41 cm | 1 |





nLITE® ANGLE BRUSH, UNFLAGGED

Very good cleaning performance, large cleaning area. Recommended for maintenance and solar cleaning.

- Angled back for larger surfaces, frames and corners
- High bristle density, excellent cleaning with little bending of the bristles
- Special bristle cut easy cleaning of corners with 90° angle
- Including hoses with quick connectors

| Part No. | Size | Pack |
|----------|-------|------|
| NUR28 | 28 cm | 1 |
| NUR41 | 41 cm | 1 |





Extremely powerful cleaning performance. Easier glide and less weight than full natural hair brushes. Recommended for maintenance cleaning and solar cleaning.

- Outside boar bristles high cleaning power of the folded bristles, no streaks
- Inside bristles with Power Bristle Technology very high scrubbing power easy glide -low water absorption

| Part No. | Size | Bristles | Pack |
|-----------------------|-------|------------------------|------|
| NUH28 | 28 cm | Natural bristles+Power | 1 |
| NI IH/ ₄ 1 | /1 cm | Natural brietles+Power | 1 |





- Gentle surface cleaning. Reduces risk of damage to sensitive surfaces. – Thin bristles with high flexibility
- Short bristles in high density for stable fibre layout

| Part No. | Size | Bristles | Pack | |
|----------|-------|------------------|------|--|
| NFS28 | 28 cm | synthetic, 2,5cm | 1 | |
| NFS41 | 41 cm | synthetic, 2,5cm | 1 | |



ATTENTION: Some surfaces are easily scratched. Always test brushes prior to use.







Perfection and cleanliness down to the last detail

In combination with the **nLITE®** telescopic pole system, this tool is an important addition to the equipment of every glass and building cleaner. Bird droppings, stubborn insect residues and other heavy deposits can often prove difficult to remove. The nLITE® holder has been developed for use with the scrubbing pad to remove even stubborn dirt easily and effectively with pure water. The recommended working height is approx. 6 metres, i.e. up to the 1st floor.



nlite® Holder for scrubbing pads

For the rapid removal of stubborn dirt from glass surfaces. CAUTION. Only fits nLITE Carbon 24K and Carbon Composite poles.

- For cleaning glass surfaces with nLITE poles
- Highly versatile thanks to adjustable angle and differently shaped contact surfaces

| Item no. | Dimensions | Product | Pack | |
|----------|------------|---------------------------|------|--|
| NLSPH | | Holder with scrubbing pad | 1 | |
| 0PS20 | 25 x 10 cm | Scrubbing pad | 10 | |

ATTENTION: Some surfaces are easily scratched. Always test scrubing pad prior to use.



BRUSH OVERVIEW for nLITE® telescopic pole system - also compatible with nLite® Connect telescopic pole system

| | | | WEIGHT | WIDTH | BRISTLES | S | | FEATURES | | | AF | PLICATI | ON | | |
|-----|-----------------------|-------------------|----------------|---------|--|--------------------------------|---------------------------|-----------|-----------------|---------------------|------------------------------|------------------|-----------------------|-------|---|
| | | | Brush complete | | Material | Length (outside/ inside) | Centre nozzle block | Rinse Bar | Swivel Lock | Initial cleaning | Mainte- nance cleaning | Lift/ Gondola | Sensitive surfaces | Solar | |
| | nLITE® | PWH35 | 75 g | 35 cm | Microfibre Pad | | | ✓ | , , | | | | | | |
| | POWER PAD | PWH45 | 85 g | 45 cm | Microlibre Pad | | | • | ✓ | | • | • | | | |
| | nLITE® POWER | NFK28 | 346 g | 28 cm | Power-Technology | 55 mm/ | , | , | ~ | | , | , | | | |
| 1 | COMPLETE | NFK41 | 488 g | 41 cm | flagged | 40 mm | ~ ~ | • | | ~ | ✓ | | | | |
| | nLITE® POWER | NFF28 | 290 g | 28 cm | Power-Technology 5 | Power-Technology 55 mm/ | 55 mm/ | ~ | | | | ~ | | | |
| | nLite CONNECT KIT | | flagged | 40 mm | • | | | | • | | | | | | |
| | nLITE® POWER | NUK28 | 356 g | 28 cm | Power-Technology 55 mm/ unflagged 40 mm | Power-Technology 55 mm. | Power-Technology 55 mm/ | ~ | , , , | ✓ | , , | | | | |
| 100 | COMPLETE | NUK41 | 491 g | 41 cm | | * * * | • | • | | • | • | • | | | |
| | nLITE® ANGLE | NFR28 500 g 28 cm | Nylon | 15-55mm | ~ | 4 | | | ~ | | | | | | |
| | FLAGGED | NFR41 | 700 g | 41 cm | flagged | flanned | 10-00mm | • | ✓ 2 Pos. | | | • | | | |
| 1 | nLITE® ANGLE | NUR28 | 500 g | 28 cm | Nylon | 15 55 | , | 4 | | | , | | | , | |
| | UNFLAGGED | AGGED NUR41 700 g | 700 g | 41 cm | unflagged 15 | unflanned | 15-55mm | ✓ | ✓ 2 Pos. | | | ~ | | | ~ |
| | -1.1 TE ® COET | NFS28 | 320 g | 28 cm | | 25 mm | ~ | ~ | ~ | | | , | y | | |
| nLi | nLITE® SOFT | NFS41 | 440 g | 41 cm | thin synthetic bristles | ∠o mm | • | ~ | ~ | | | ~ | ~ | | |
| 1 | -1.1TE@ UVDD:D | NUH28 | 333 g | 28 cm | D 1 . D | 45 mm/ | ~ | | √ | ~ | | y | | ./ | |
| 100 | nLITE® HYBRID | NUH41 | 460 g | 41 cm | Boarhair + Power | 30 mm | • | • | • | * | | • | | • | |

*** ACCESSORIES



nLite® CONE ADAPTER

Plastic adapter for attaching tools on nLITE $^\circ$ Carbon 24K and Carbon Composite telescopic poles.

| Part No. | Pack |
|----------|------|
| NLCLA | 1 |



nLite® EURO THREAD ADAPTER

Plastic adapter for attaching brushes on nLITE® Carbon 24K and Carbon Composite telescopic poles.

| Part No. | Pack |
|----------|------|
| NLTHR | 1 |



| nLITE® P | OLE ACCESSORIES | • | | |
|----------|--------------------------------|------------|-------|--|
| Part No. | Info | Length / Ø | Pack | |
| NLHCC | Extension adapter | 40 cm | 1 | |
| NLHKP | 6 clips for outer hose routing | | 1 Kit | |



| nLITE® ⊦ | IOSES | | | |
|----------|------------------------------------|-----------|------|--|
| Part No. | Info | Ø | Pack | |
| DLS25 | DuroFlex hose 25m | Ø 5/8 mm | 1 | |
| DLH25 | DuroFlex High Performance hose 25m | Ø 7/10 mm | 1 | |

nLITE® WATER FLOW REGULATOR Part No. Info Ø Pack NLWVI for DLS25 Ø 5/8 mm 1 22812 for DLH25 Ø 7/10 mm 1

nLITE® HOSE ROUTING:

Inner hose routing



connector.




Insert the hose at the bottom of the pole, lead it out at the top, through the angle adapter and connect it there with the quick

1. Insert extension adapter (NLHCC) at the end of the telescopic pole (CF86G only), hose is led out to the side.

2. Insert the extension pole (CF33G) into the NLHCC adapter. Protective cap is open for pole connection.

External hose routing



Fit hose clips NLHKP into the clips of the nLITE telescopic pole.
Guide the hose through the clips on the outside of the pole and connect it to the angle adapter using the quick connector on the angle adapter.



nLITE® TRANSPORTATION BAG

Solid nylon carrying bag* for nLITE® Carbon 24K and Carbon Composite water-fed poles and brushes.

- Comfortable and easy to transport with a handle or adjustable shoulder strap
- Offers space for up to 5 poles, 2 brushes, 1 hose, 1 angle adapter, 1 extension adapter
- + two easy-to-reach outer pockets for accessories

| Part No. | Pack |
|----------|------|
| NLBAG | 1 |

not compatible with the nLite Connect system

WATER FED POLE SYSTEM **ACCESSORIES**





nLite® Connect TOOL ADAPTER

Plastic adapter for attaching tools on nLite $^{\! \circ}$ Connect poles.

- Locking cone adapter for attaching traditional window cleaning tools

| Part No. | Pack |
|----------|------|
| HFNLC | 1 |



nLite® Connect THREAD ADAPTER

Thread adapter for attaching brushes on the nLite® Connect pole

| Part No. | Pack |
|----------|------|
| ETTUD | 1 |



MultiLink ANGLE ADAPTER

Plastic angle adapter with screw adjustment.

- Simple to adjust
- Robust
- Compatible with all nLite Connect & HiFlo Brushes

| Part No. | Pack |
|----------|------|
| FTGOS | 1 |



nLite® HOSE

 $\label{eq:Durable hose for water supply from water filter to the Brush.}$

- Complete with standard hose connector for water supply
- NLH25 high performance hose for RO-filter including connector for connection kit

| Part No. | Length | Ø Inner/Outer | Pack |
|----------|--------|---------------|------|
| NL25G | 25 m | 5/8 mm | 1 |
| NLH25 | 25 m | 8/10 mm | 1 |



HiFlo Control

The On/Off Switch for instant water flow control at the pole.

- Fits onto the base sections of the pole
- Hose fits inside the switch, under the lever
 Adjust or shut off the water flow competely with one quick lever motion
- Fits any poles Ø 20-70mm
- Fits yellow hoses NL25G & NLH25

| , | | | |
|----------|---|------|--|
| Part No. | Info | Pack | |
| TM00V | Complete with nLite® Clips + Hooks & Loops Straps | 1 | |



For storage, protection and transportation of a complete nLite® Connect Kit.

- Made from solid nylon material
- Can be carried in hand or over shoulder
- Fits 5 or more poles, 2 brushes, 1 gooseneck, 1 hose
- Pocket for spare jets and small pieces

| Part No. | Pack |
|----------|------|
| NLBA1 | 1 |



TRADITIONAL WINDOW CLEANING GREEN LABEL NEW

Follow our lead and make your mark: For a more sustainable future.

Protecting our planet, using its resources responsibly and preserving it for the next generation: Acting sustainably is an essential task for mankind and the cornerstone of the **UNGER** philosophy.

- Only the best is good enough: We don't compromise on performance and quality when developing eco-friendly products.
- We are committed to choosing the right raw material suppliers and relevant certifications.
- We incorporate customer requests into our sustainability concept via numerous customer surveys conducted beforehand.

This has resulted in the first fully certified, sustainable range of glass cleaning tools.

This highlights our commitment and that of our customers and shows that we are a pioneer in the industry when it comes to sustainability.

- The GREEN LABEL range by UNGER encourages more environmentally friendly cleaning services.
- With **GREEN LABEL**, we help you and your customers achieve your sustainability goals.
- GREEN LABEL is characterised by the outstanding quality typical of UNGER – a long useful life is a key aspect of sustainability.
- Recognisable at first glance: the striking, green-blue design shows that you are taking on responsibility – for yourself and others.



TRADITIONAL WINDOW CLEANING

GREEN LABEL PRODUCTS & CERTIFICATES





Green Label WINDOW SQUEEGEE

Complete squeegee with FSC™-certified rubber.

- Handle & S-Channel: Non-hazardous materials
- Ergonomic handle made of two components. Complete with S-channel.
- Handle with comfortable S-spring for quick and simple channel change
- Usual high UNGER quality
- Made in Germany

| Part No. | Size | Rubber | Pack |
|----------|-------|--------|------|
| GTS35 | 35 cm | Medium | 10 |
| GTS45 | 45 cm | Medium | 10 |
| GTSH0* | | Handle | 10 |





C2C CERTIFIED MATERIAL HEALTH CERTIFICATE SILVER

Green Label S-CHANNEL

Complete with FSC™-certified rubber.

- S-Channel: Non-hazardous materials
- Rubber: Degree of hardness: Medium, proportionally with FSC™-certified natural rubber
- Professional quality with sharp edges for streak-free removal
- Made in Germany

| Part No. | Size | Rubber | Pack |
|----------|-------|--------|------|
| GTC35 | 35 cm | Medium | 10 |
| GTC45 | 45 cm | Medium | 10 |





Green Label SQUEEGEE RUBBER

FSC™-certified rubber, Medium degree of hardness

- Proportionally with FSC™-certified natural rubbe
- Professional quality with sharp edges for streak-free removal

| Made in Germany | | |
|-------------------------------------|-------|------|
| Part No. | Size | Pack |
| GTR25 | 25 cm | 10 |

| Part No. | Size | Pack | |
|----------|--------|------|--|
| GTR25 | 25 cm | 10 | |
| GTR35 | 35 cm | 10 | |
| GTR45 | 45 cm | 10 | |
| GTR55 | 55 cm | 10 | |
| GTR99 | 106 cm | 10 | |



C2C CERTIFIED MATERIAL HEALTH CERTIFICATE SILVER

Green Label® WASHER T-BAR

Durable plastic T-Bar with ergonomic bi-component handle.

- Avoidance of toxic chemical products
- Water wells for increased water retention
- Fits securely to pole with Locking Cone
- Made in Germany

| , | | |
|----------|-------|------|
| Part No. | Size | Pack |
| GTT35 | 35 cm | 10 |
| GTT45 | 45 cm | 10 |



C2C CERTIFIED MATERIAL CERTIFICATE" SILVER

Green Label BUCKET 12 L

Bucket for glass cleaning, made of hon-hazardous materials.

- Avoidance of toxic chemical products
- Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position
- Includes storage options for washers and window squeegees up to 35 cm wide
- Made in Germany

| Part No. | Capacity / Inside dimension | Pack | |
|----------|-----------------------------|------|--|
| GTB12 | 12 l / 40 × 19cm | 10 | |



Available from March 2024



Green Label LIQUID

Window cleaning soap, gel-like concentrate (1:100).

- Can be applied directly to the washer sleeve or dissolved in water
- pH value 5,1 in aqueous solution
- Container made from recycled material
- Made in Germany

| Part No. | Content | Pack |
|----------|---------|------|
| GTL10 | 1 l | 12 |



C2C Certified Material Health Certificate™ Silver

In order to obtain the Material Health Certificate, all chemicals used in the value chain must be analysed and evaluated with regard to health and environmental hazards. Dangerous chemicals are avoided and replaced with safer substances for sustainable production.



FSCTM

FSC-certified natural rubber is used in our squeegee rubbers - for more sustainable forest management.

FSC-certified forests and plantations are managed according to stricter environmental and social principles. FSC-certified materials can be traced throughout the supply chain at all times



EU Ecolabel

The European Commission awards the EU Ecolabel to products that have a lower environmental impact than comparable products and are therefore healthier and more environmentally friendly. The criteria differ depending on the product group. In the case of textile and cleaning products, evaluation is based on the proportion of recycled materials, the limitation of toxic chemicals, the biodegradability as well as the cleaning performance and durability.

Professional tools for classic glass cleaning


All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.


Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.


Today our range includes wide selection of traditional handheld tools and accessories, built to last and withstand continuous use, day after day.


Most of our tools can be fitted to ${\bf UNGER}$ telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.

Look out for the **ErgoTec®** Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.













TRADITIONAL WINDOW CLEANING

SQUEEGEES







Choose between 40° and 30° head angle versions



The center position can be locked by pressing the lock button



Locking Mechanism to secure the swivel head in center position



New and improved end clip mechanism



ErgoTec® NINJA HANDLE



- Ergonomic swivel handle with 180° swivel
- TriLoc mechanism for secure hold of the channel
- Fits securely to pole with Locking Cone

| Part No. | Angle | Pack |
|----------|-------|------|
| EN000 | 40° | 5 |
| E3000 | 30° | 5 |

ErgoTec® NINJA WINDOW SQUEEGEE



- Complete with NINJA Channel and professional soft rubber.
 - Ergonomic handle with 180° swivel
- Handle with TriLoc mechanism for secure hold of the channel
- Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Fits securely to pole with Locking Cone

| Part No. | Angle | Size | Rubber | Pack | |
|----------|-------|-------|--------|------|--|
| EN300 | 40° | 30 cm | Soft | 5 | |
| EN350 | 40° | 35 cm | Soft | 5 | |
| EN450 | 40° | 45 cm | Soft | 5 | |
| E3300 | 30° | 30 cm | Soft | 5 | |
| E3350 | 30° | 35 cm | Soft | 5 | |
| F3450 | 30° | 45 cm | Soft | 5 | |



ErgoTec® NINJA SQUEEGEE CHANNEL



- Complete with soft rubber and SmartClip end clips.

 Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Perfect pressure distribution

| - rasi anu easy | rubber change | | | |
|-----------------|---------------|--------|------|--|
| Part No. | Size | Rubber | Pack | |
| AC200 | 20 cm | Soft | 5 | |
| AC250 | 25 cm | Soft | 5 | |
| AC300 | 30 cm | Soft | 5 | |
| AC350 | 35 cm | Soft | 5 | |
| AC450 | 45 cm | Soft | 5 | |
| AC550 | 55 cm | Soft | 5 | |
| AC650 | 65 cm | Soft | 5 | |
| AC750 | 75 cm | Soft | 5 | |
| AC920 | 92 cm | Soft | 5 | |
| AC105 | 105 cm | Soft | 5 | |

TRADITIONAL WINDOW CLEANING **SQUEEGEES**





Green Label WINDOW SQUEEGEE



- Handle & S-Channel: Non-hazardous materials
- Ergonomic handle made of two components. Complete with S-channel.
- Handle with comfortable S-spring for quick and simple channel change
- Usual high UNGER quality
- Made in Germany

| Part No. | Size | Rubber | Pack | |
|----------|-------|--------|------|--|
| GTS35 | 35 cm | Medium | 10 | |
| GTS45 | 45 cm | Medium | 10 | |
| GTSH0* | - | Handle | 10 | |



ErgoTec® SQUEEGEE



Stainless steel squeegee with bi-component handle.

- Handle with comfortable S-spring for quick and simple channel change
- Fits securely to pole with Locking Cone
- Compatible with S-Channel and S-Channel Plus
- ES35G, ES45G: icluding green rubber with outstanding sliding ability

| Part No. | Size | Rubber | Pack | |
|----------|---------|-----------|------|--|
| ES35G | 35 cm | Green | 10 | |
| ES45G | 45 cm | Green | 10 | |
| ES250 | 25 cm | Soft | 10 | |
| ES350 | 35 cm | Soft | 10 | |
| ES450 | 45 cm | Soft | 10 | |
| ES550 | 55 cm | Soft | 10 | |
| ES25H | 25 cm | Hard | 10 | |
| ES35H | 35 cm | Hard | 10 | |
| ES45H | 45 cm | Hard | 10 | |
| ES55H | 55 cm | Hard | 10 | |
| ETG00 | | Handle | 10 | |
| ETX00 | +2.5 cm | Handle XI | 10 | |



ErgoTec® CARBON HANDLE The lightest professional squeegee handle.

- 18 % lighter than bicomponent ErgoTec® squeegee handle
- Made of premium carbon fibre: T700, 7 layers; S-Spring: High value stainless steel 1.4310
- Anti-slip coating for reliable grip
 Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

| Part No. | Pack |
|----------|------|
| UCH00 | 1 |



Squeegee and washer in one tool. Complete with S-Channel, Microfibre Pad and soft rubber. - Locking clip for removing or turning the squeegee

- Premium microfibre for ultimate cleaning power and high water absorption
- Won't twist and fall off telescopic poles thanks to ErgoTec® safety cone
- Compatible with S-Channel and S-Channel Plus

| Part No. | Size | Rubber | Product | Pack | |
|----------|-------|--------|------------------------|------|--|
| VV250 | 25 cm | Soft | VisaVersa Pro complete | 8 | |
| VV350 | 35 cm | Soft | VisaVersa Pro complete | 8 | |
| VV450 | 45 cm | Soft | VisaVersa Pro complete | 8 | |
| VEP25 | 25 cm | | VisaVersa Pro Pad | 10 | |
| VEP35 | 35 cm | | VisaVersa Pro Pad | 10 | |
| VEP45 | 45 cm | | VisaVersa Pro Pad | 10 | |

Pad: 100% polyester



Swivel squeegee head, freely adjustable and lockable.

Problem solver for hard to-reach places.

- Advanced ergonomic bi-component handle for comfortable use
 Available in two head angles: 0° and 30°
- Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

| Part No. | Version | Pack |
|----------|---------|------|
| LS000 | 0° | 5 |
| LA000 | 30° | 5 |



NEW VISA VERSA PRO



Perfectly clean windows in an instant

The VisaVersa® Pro combines a washer and window squeegee in a single cleaning tool. The tool's significant improvements guarantee professional cleaning with top results.

Save time: Simply flip it over, so no need to waste time changing cleaning tools on your telescopic pole. Additional benefits:

The VisaVersa® Pro pad stores plenty of water, which means fewer trips to your bucket, and the removable window squeegee allows for quick, streak-free drying.

Work ergonomically: The VisaVersa® Pro weighs significantly less than other tools, meaning that it is easy on your joints and you can work without tiring. The non-slip handle ensures greater safety both in your hand and when attached to a telescopic pole

WINDOWSQUIEGES

VisaVersa® PRO PAD

- Premium microfibre for ultimate cleaning power
- High water absorption for large coverage
- Super lightweight
- Easy and quick to change
- Machine washable & suitable for tumble drying

CURVED T-BAR

- Effective: ensures greatest contact with glass surface
- Hook & Loops holder for VisaVersa® Pro Pad

ErgoTec® XL HANDLE

- Ergonomic: handle designed for fatigue-free working
- Safe: keep a firm grip with wet hands thanks to 2K surface
- Won't twist and fall off telescopic poles thanks to ErgoTec® safety cone

Wash... turn over... squeegee... DONE!





QUICK & SAFE: Ideal for use with telescopic poles





S-CHANNEL WITH **PRO SQUEEGEE SOFT RUBBER**

- Superior quality: robust stainless
- Practical: variable position, easy-to-change rubber
- Effective: thorough drying thanks to sharp edges
- Fast: glides easily and quickly

QUICK RELEASE THANKS TO COMFORTABLE S-SPRING

• Quick: easy-to-change rubber and channel

LOCKING CLIP

- Open: for squeegee removal
- Closed: choose between two squeegee positions

Order information on p. 36



The VisaVersa® Pro washer and squeegee can be detached from each other and used separately.



Experienced users can use the VisaVersa® Pro to wash windows and squeegee them in one simultaneous movement.



SQUEEGEES







Stainless steel squeegee with rubber coated handle. - Solid handle design - Quick and simple channel change with S-Spring

- Fits on telescopic poleCompatible with S-Channel and S-Channel Plus

| Part No. | Size | Rubber | Pack | |
|----------|-------|--------|------|--|
| SE250 | 25 cm | Soft | 10 | |
| SE350 | 35 cm | Soft | 10 | |
| SE450 | 45 cm | Soft | 10 | |
| SE25H | 25 cm | Hard | 10 | |
| SE35H | 35 cm | Hard | 10 | |
| SE45H | 45 cm | Hard | 10 | |
| SG000 | | Handle | 10 | |



GC BRASS SQUEEGEE HANDLE



Classic style brass handle.

- Sturdy and durable
- Firm channel fit with screwsFits on telescopic pole

| Part No. | Pack |
|----------|------|
| GS000 | 10 |



Pro SQUEEGEE



- Stainless steel squeegee with rubber coated handle.

 Solid handle design


 Quick release clip for fast and easy channel change
- Fits on telescopic poleCompatible with S-Channel and S-Channel Plus

| Part No. | Size | Rubber | Pack | |
|----------|-------|--------|------|--|
| PR250 | 25 cm | Soft | 10 | |
| PR350 | 35 cm | Soft | 10 | |
| PR450 | 45 cm | Soft | 10 | |
| PROOD | | Handle | 10 | |



UniTec SQUEEGEE





- Sturdy Firm channel fit with screws
- Fits on telescopic pole

| Part No. | Size | Info | Pack | |
|----------|-------|----------|------|--|
| OW250 | 25 cm | Complete | 10 | |
| OW350 | 35 cm | Complete | 10 | |
| OW450 | 45 cm | Complete | 10 | |
| OG000 | | Handle | 10 | |



UniTec SQUEEGEE LIGHT



Extra light squeegee for glass or flat surfaces in household area.

- Ideal for smooth surfaces
- Fits on telescopic pole
 Lightweight, fixed aluminium channel

| Part No. | Size | Info | Pack |
|----------|-------|----------|------|
| 112300 | 30 cm | Complete | 10 |

TRADITIONAL WINDOW CLEANING **CHANNELS**





Stainless steel channel with variable positioning options.

Complete with soft rubber.

- Curved ends support the rubber at the edges for improved cleaning close to frame
- Strong and durable
- Easy change of rubber
 Fits ErgoTec®-, S- and Pro-squeegees

| Part No. | Size | Rubber | Pack | |
|----------|-------|--------|------|--|
| UC300 | 30 cm | Soft | 10 | |
| UC350 | 35 cm | Soft | 10 | |
| UC450 | 45 cm | Soft | 10 | |



Stainless steel channel with variable positioning options. Complete with soft and hard rubber. NE25G-NE55G complete with green rubber for outstanding sliding ability

- Strong and durable
- Easy change of rubber
- Fits ErgoTec®-, S- and Pro-squeegees

| Part No. | Size | Rubber | Pack | |
|----------|-------|---------|------|--|
| NE25G | 25 cm | Green 🔵 | 10 | |
| NE35G | 35 cm | Green | 10 | |
| NE45G | 45 cm | Green | 10 | |
| NE55G | 55 cm | Green 🔵 | 10 | |
| NE250 | 25 cm | Soft | 10 | |
| NE300 | 30 cm | Soft | 10 | |
| NE350 | 35 cm | Soft | 10 | |
| NE450 | 45 cm | Soft | 10 | |
| NE550 | 55 cm | Soft | 10 | |
| NE15H | 15 cm | Hard | 10 | |
| NE25H | 25 cm | Hard | 10 | |
| NE30H | 30 cm | Hard | 10 | |
| NE35H | 35 cm | Hard | 10 | |
| NE45H | 45 cm | Hard | 10 | |
| NE55H | 55 cm | Hard | 10 | |



Complete with FSC $^{\text{TM}}$ -certified rubber.

- S-Channel: Non-hazardous materials Rubber: Degree of hardness: Medium, proportionally with FSC™-certified natural rubber
- Professional quality with sharp edges for streak-free removal
- Made in Germany

| Part No. | Size | Rubber | Pack | |
|----------|-------|--------|------|--|
| GTC35 | 35 cm | Medium | 10 | |
| GTC45 | 45 cm | Medium | 10 | |



Brass channels, complete with soft rubber and plastic clips.

- Strong and durableFits on GC brass handle and on Pro handle

| Part No. | Size | Pack |
|----------|-------|------|
| GC350 | 35 cm | 10 |
| GC450 | 45 cm | 10 |
| | | |





Plastic Clips

For improved hold of rubber in the channel. Solid plastic.

| Part No. | Info | Pack |
|----------|-----------------------|------|
| DCI ID | Plactic Cline (II/Roy | 10 |

RUBBER



Squeegee rubber with outstanding sliding ability.

- Streak-free resultsReliable, long-lasting
- Professional quality Made in Europe

GREEN SQUEEGEE RUBBER

| Part No. | Size | Pack | |
|----------|-------|------|--|
| RR25G | 25 cm | 10 | |
| RR35G | 35 cm | 10 | |
| RR45G | 45 cm | 10 | |
| RR55G | 55 cm | 10 | |



SOFT

HARD

Pro SQUEEGEE RUBBER

10 rubbers per bag. Professional quality.

- Highly durable and efficient
- Sharp edges enable thorough wiping for superior finish

| Part No. Soft | Part No. Hard | Size | Pack | |
|------------------|------------------|--------|------|--|
| RR200 | | 20 cm | 10 | |
| RR250 | RR25H | 25 cm | 10 | |
| RR350 | RR35H | 35 cm | 10 | |
| RR450 | RR45H | 45 cm | 10 | |
| RR550 | RR55H | 55 cm | 10 | |
| RR650 | RR65H | 65 cm | 10 | |
| RR750 | RR75H | 75 cm | 10 | |
| RR920 | RR92H | 92 cm | 10 | |
| RR990 | RR99H | 106 cm | 10 | |

RUBBER INFO



SOFT

- Shore hardness: 52 ± 3
- Ideal for colder temperatures
- Adjusts better to uneven surfaces



MEDIUM

- Shore hardness: 56 ± 3
- Ideal all year round
- Suitable for all surfaces



HARD

- Shore hardness: 60 ± 3
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces









Green Label SQUEEGEE RUBBER

MEDIUM

FSC™-certified rubber, Medium degree of hardness

- Proportionally with FSC™-certified natural rubber

- Professional quality with sharp edges for streak-free removal - Made in Germany

| – Made in Germany | | | |
|-------------------|--------|------|--|
| Part No. | Size | Pack | |
| GTR25 | 25 cm | 10 | |
| GTR35 | 35 cm | 10 | |
| GTR45 | 45 cm | 10 | |
| GTR55 | 55 cm | 10 | |
| GTR99 | 106 cm | 10 | |



SOFT

HARD

Pro SQUEEGEE RUBBER

25 rubbers per storage box. Professional quality.

- Highly durable and efficient
- Sharp edges enable thorough wiping for superior finish
- Sturdy plastic storage box keeps rubbers clean and straight

| Part No. | Size | Rubber | Pack |
|----------|-------|--------|------|
| RP350 | 35 cm | Soft | 25 |
| RP450 | 45 cm | Soft | 25 |
| RP35H | 35 cm | Hard | 25 |
| DD/5U | 45 cm | Hard | 25 |



HIGHWAY RUBBER

Cut to fit 15 m rubber roll in cardboard box. Extruded - Household quality.

| Part No. | Size | Pack |
|----------|------|------|
| HIXXL | 15 m | 1 |

SQUEEGEES



PRODUCT OVERVIEW SQUEEGEES



Use the guide below to compare various models of UNGER Squeegees and identify the right one for your cleaning tasks and budget.

| | | Z lin | BUDGET | | HANDLE | | SWIVEL | | CHANNEL | | | | RUBBER* | | e e |
|----------|------------------------|---|--------|-----------------------------|-------------|----------------------------|----------------------------|---|-------------------------|--------------------|--------------------------------|----------------|----------------------|---|-------------|
| | ALC: NO | 117 | | Material | Head Angle | Fits to Locking Cone | Tension adjust- ment | Fitting | Sizes | Material | Com- patibility | Туре | Quality | Fitting | C |
| > | ErgoTec® NINJA | The ultimate high per- formance squeegee | *** | 2 compo- nents | 30°/ 40° | | ~ | TriLoc clip | 20 – 105 cm | T6 Alu- minium | Ninja Alu Channel | Molded | Soft & Hard | TriLoc Clipl | p. 35 |
| | ErgoTec® Carbon | Superlight, hand-crafted carbon fibre handle. | *** | Carbon fibre | 30° | | - | S-Spring | only handle | - | S-Channel S-Channel Plus | - | - | S-Spring | p. 36 |
| 1 | GreenLabel ErgoTec® | Stainless steel squeegee with sustainably certified Rub- ber, Handle and Channel | *** | 2 compo- nents | 30° | | - | S-Spring | 35 – 45 cm | Stainless Steel | S-Channel S-Channel Plus | Molded | Medium | S-Spring comfort | p. 33/36 |
| | ErgoTec® | Stainless steel squeegee with bi-component handle | *** | 2 compo- nents | 30° | | - | 0° screwed plate 30° S-Spring | 15 – 55 cm | Stainless Steel | S-Channel S-Channel Plus | Only handle | Soft & Hard | S-Spring comfort | p. 36 |
| X | ErgoTec® SwivelLoc | Swivel squee- gee head, – a problem solver for hard-to- reach areas. | *** | 2 compo- nents | 30° 0°/ | | ~ | S-Spring | only handle 0° / 30° | Stainless Steel | S-Channel S-Channel Plus | Molded | - | 0°: screw off plate 30° press S-Spring | p. 36 |
| K | Visa- Versa® Pro | Squeegee and washer in one tool | *** | 2 compo- nents | 30° | | - | S-Spring | 25 – 45 cm | Stainless Steel | S-Channel S-Channel Plus | Molded | Soft | S-Spring comfort | p. 36 |
| / | S | Standard Squeegee for daily work | ** | Metal + Rubber sleeve | 30° | | - | S-Spring | 15 – 55 cm | Stainless Steel | S-Channel S-Channel Plus | Molded | Soft & Hard | S-Spring | р. 38 |
| ~ | Pro | Standard Squeegee for daily work | ** | Metal + Rubber sleeve | 30° | | - | Pro Clip | 15 – 55 cm | | S-Channel S-Channel Plus | | Soft & Hard | Pro Clip | p. 38 |
| | GC | Classic style brass squeegee | * | Brass | 30° | | - | Screwed Plate | 35 – 45 cm | Brass | Brass Channel | Extruded | Soft | Screw off plate | p. 38 |
| | UniTec | Basic metal squeegee | * | Metal | 30° | | - | Rotary button | 25 – 45 cm | Stainless Steel | S-Channel S-Channel Plus | Extruded | Standard | Rotary button | p. 38 |
| ~ | UniTec Light | Household Squeegee | * | Plastic | 30° | | - | Channel hold by handle | 30 cm | Alu- minium | Alu Channel | Extruded | Household quality | Fixed to channel | p. 38 |

PURCHASING GUIDE

1. BUDGET:

2. HANDLE: Weight, Feature, Ergonomics

3. SWIVEL FUNCTION:

4. CHANNEL: 5. RUBBER:

How long do you work, how large is the area, how many extra features do you need?


Do you need to access hard to reach areas? Do you work with telescopic poles? How large is the surface to be cleaned? How important is a quick channel change?

Soft, medium or hard rubber? Professional quality or is standard quality enough?












* Soft, Medium and Hard Rubber are interchangeable and available to order separately.



This product securely locks on ErgoTec® Locking cone.



WASHERS





The center position can be locked by pressing the lock button



Swivel function: Perfect for polework and hard-to-reach-areas

ErgoTec® NINJA WASHER



Complete with NINJA Washer T-Bar and highly absorbent sleeve with Microfibre

- Ultimate cleaning performance. Sleeve is machine washable up to 500 times
 Sleeve with rows of scrubbing fibres and 2 abrasive side pads
- Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel function
- Fits securely to pole with Locking Cone

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| NA350 | 35 cm | Blended fabric* | 5 |
| NA450 | 45 cm | Blended fabric* | 5 |

*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



StripWasher® MicroStrip PAC

Complete washer with highly absorbent microfibre sleeve.

- Superior cleaning power
- Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size | Material | Pack | |
|----------|-------|-------------|------|--|
| NC350 | 35 cm | Microfibre* | 10 | |
| NC450 | 45 cm | Microfibre* | 10 | |

^{*}Support material: 100 % polyamide; Fibres: 100 % polyethylene



StripWasher® Pad STRIP PAC



Complete washer with blended fabric sleeve and scrub pad strip.

- Removes tough dirt
- Sleeve with scrub pad is machine washable up to 500 times
 Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size | Material | Pack |
|----------|-------|---------------------|------|
| RC350 | 35 cm | Scrub Pad + Fabric* | 10 |
| RC450 | 45 cm | Scrub Pad + Fabric* | 10 |

^{*}Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene



ErgoTec® Power WASHER





- ErgoTec® T-bar and power microfibre sleeve. - 20 % higher water absorption than standard microfibre sleeves
- Machine washable and suitable for tumble drying
- Two-component handle with water wells
- Locks into place on the safety cone

| Part No. | Size | Material | Pack | |
|----------|-------|-------------|------|--|
| BC350 | 35 cm | Microfibre* | 10 | |
| BC450 | 45 cm | Microfibre* | 10 | |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester



StripWasher® Monsoon STRIP PAC

Complete washer with blended, extra long fibre sleeve.

- Excellent cleaning power
- Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size | Material | Pack | |
|----------|-------|-----------------|------|--|
| MC350 | 35 cm | Blended fabric* | 10 | |
| MC450 | 45 cm | Blended fabric* | 10 | |

^{*}Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



StripWasher® Original STRIP PAC

Complete washer with blended fabric sleeve.

- Good cleaning power
- Sleeve is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

| 5 5 | | , | |
|----------|-------|-----------------|------|
| Part No. | Size | Material | Pack |
| WC250 | 25 cm | Blended fabric* | 10 |
| WC350 | 35 cm | Blended fabric* | 10 |
| WC450 | 45 cm | Blended fabric* | 10 |

^{*}Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

TRADITIONAL WINDOW CLEANING **WASHER T-BARS**











- **Durable, lightweight hard anodized aluminium T-Bar.** Ergonomic bi-component handle with 180° swivel and lock function
- Superior performance without causing excessive strain on arms and shoulders
- Fits securely to pole with Locking Cone

| Part No. | Size | Pack | |
|----------|-------|------|--|
| NI250 | 25 cm | 5 | |
| NI350 | 35 cm | 5 | |
| NI450 | 45 cm | 5 | |
| NI550 | 55 cm | 5 | |
| NI750 | 75 cm | 5 | |



ErgoTec® T-BAR ***



Durable plastic T-Bar with ergonomic bi-component handle.

- Water wells for increased water retention Fits securely to pole with Locking Cone

| Part No. | Size | Pack |
|----------|-------|------|
| EH250 | 25 cm | 10 |
| EH350 | 35 cm | 10 |
| FH450 | 45 cm | 10 |



Swivel T-BAR



Lightweight aluminium T-bar with adjustable head and plastic handle.

- Angle adjustable to 7 positions with set screw
- Fits securely to pole with Locking Cone

| | - | |
|----------|-------|------|
| Part No. | Size | Pack |
| SV350 | 35 cm | 5 |
| SV450 | 45 cm | 5 |





C2C CERTIFIED MATERIAL HEALTH CERTIFICATE™ SILVER

Green Label® WASHER T-BAR



Durable plastic T-Bar with ergonomic bi-component handle.

- Avoidance of toxic chemical products
- Water wells for increased water retention
- Fits securely to pole with Locking Cone
- Made in Germany

| Part No. | Size | Pack |
|----------|-------|------|
| GTT35 | 35 cm | 10 |
| CTT/5 | 45.cm | 10 |



Alu T-BAR



Lightweight solid aluminium T-Bar with plastic handle.

- Finger grooves on the handle for secure gripFits securely to pole with Locking Cone

| Part No. | Size | Pack |
|----------|-------|------|
| AT150 | 15 cm | 10 |
| AT250 | 25 cm | 10 |
| AT350 | 35 cm | 25 |
| AT450 | 45 cm | 25 |
| ΔΤ550 | 55.cm | 10 |



UniTec T-BAR



Lightweight monolithic plastic T-Bar.

- Water wells for increased water retention
- Fits securely to pole with Locking Cone

| Part No. | Size | Pack |
|----------|-------|------|
| 0E250 | 25 cm | 10 |
| OE350 | 35 cm | 10 |
| 0E450 | 45 cm | 10 |

WASHER SLEEVES





Blended fabric standard sleeve with hooks & loops fastener.

- Good cleaning power
- Machine washable up to 500 times

| Part No. | Size | Material | Pack | |
|----------|-------|-----------------|------|--|
| WS250 | 25 cm | Blended fabric* | 10 | |
| WS350 | 35 cm | Blended fabric* | 10 | |
| WS450 | 45 cm | Blended fabric* | 10 | |

^{*}Support material: 100 % polyethylene; Fibres: 100 % polyacrylic



Blended fabric standard sleeve with scrub pad strip and hooks & loops fastener.

- Time efficient cleaning of heavily soiled surfaces
- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|---------------------|------|
| RS350 | 35 cm | Scrub Pad + Fabric* | 10 |
| RS450 | 45 cm | Scrub Pad + Fabric* | 10 |

^{*}Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene

ErgoTec® NINJA SLEEVE



Blended fabric sleeve with 2 abrasive side pads and hooks & loops fastener.

- Ultimate cleaning performance
- With rows of scrubbing fibres for effective rem^oval of stubborn dirt
- High water retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack | |
|----------|-------|-----------------|------|--|
| NJ250 | 25 cm | Blended fabric* | 10 | |
| NJ350 | 35 cm | Blended fabric* | 10 | |
| NJ450 | 45 cm | Blended fabric* | 10 | |
| NJ550 | 55 cm | Blended fabric* | 10 | |
| NJ750 | 75 cm | Blended fabric* | 5 | |

^{*}Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide

Power MICROFIBRE SLEEVE



Power microfibre sleeve with scrubbing pad for ultimate cleaning power, with hooks & loops fastener

- 20 % higher water absorption than standard microfibre sleeves
 Machine washable and suitable for tumble drying

| Part No. | Size | Material | Pack | |
|----------|-------|-------------|------|--|
| BS250 | 25 cm | Microfibre* | 10 | |
| BS350 | 35 cm | Microfibre* | 10 | |
| BS450 | 45 cm | Microfibre* | 10 | |
| BS550 | 55 cm | Microfibre* | 10 | |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester

MicroStrip MICROFIBRE SLEEVE



Microfibre sleeve with scrub pad and hooks & loops fastener.

- Superior cleaning power
- High water retention up to 6 times its own weight
- Machine washable up to 500 times

| Part No. | Size | Material | Pack | |
|----------|-------|-------------|------|--|
| NS250 | 25 cm | Microfibre* | 10 | |
| NS350 | 35 cm | Microfibre* | 10 | |
| NS450 | 45 cm | Microfibre* | 10 | |

^{*}Support material: 100 % polyamide; Fibres: 100 % polyethylene



Blended fabric sleeve with extra long fibres, scrub pad and hooks & loops fastener.

- Excellent cleaning power
- High water retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack | |
|----------|-------|-----------------|------|--|
| MS150 | 15 cm | Blended fabric* | 10 | |
| MS250 | 25 cm | Blended fabric* | 10 | |
| MS350 | 35 cm | Blended fabric* | 10 | |
| MS450 | 45 cm | Blended fabric* | 10 | |

^{*}Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



Synthetic fibre washer sleeve with snap fasteners.

- Good cleaning power
- Good value deal
- Machine washable up to 500 times

| Part No. | Size | Material | Pack | |
|----------|-------|------------|------|--|
| ON2501 | 25 cm | Polyester* | 10 | |
| ON350 | 35 cm | Polyester* | 10 | |
| ON450 | 45 cm | Polyester* | 10 | |

^{*}Support material/Fibres: 100 % polyester

While stocks last

WASHERS



PRODUCT OVERVIEW WASHERS



Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks and budget.

| T-BARS | | | | | | | | | | |
|--------------------------|--------|-----------------------------|----------------------------|----------------|-----------------------|-----------|------------|-----------------|-------------|-------|
| | BUDGET | HAND | LE | SWIVEL I | SWIVEL FUNCTION | | T-BAR | | | |
| | | Material | Fits to Locking Cone | Swivel Head | Tension adjustment | Material | Weight | Available Sizes | Water wells | |
| ErgoTec® NINJA | *** | Plastic with rubber insert | | ✓ | Screw | Aluminium | Very light | 25 – 75 cm | - | p. 43 |
| ErgoTec® Green Label* | *** | Plastic with rubber insert* | | - | - | Plastic | Light | 35 – 45 cm | ~ | p. 43 |
| ErgoTec® | *** | Plastic with rubber insert | | - | - | Plastic | Light | 25 – 45 cm | ~ | p. 43 |
| Alu | ** | Plastic | | - | - | Aluminium | Very light | 15 – 55 cm | - | p. 43 |
| Swivel | ** | Plastic | | ✓ | Knob | Aluminium | Very light | 35 + 45 cm | - | p. 43 |
| UniTec | * | Plastic | | - | - | Plastic | Light | 25 – 45 cm | ✓ | p. 43 |

^{*}C2C Certified Material Health Certificate™ Silver

| | | | | SLEEVES | | | | |
|-------------------|--------|---|------------|---|-----------------|----------------|-------------------|-------|
| | BUDGET | MATERIAL | MICROFIBRE | FEATURES | AVAILABLE SIZES | FASTENING | SCRUB PAD | 0 |
| ErgoTec® NINJA | *** | 100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide** | ✓ | Ultimate cleaning performance | 25 – 75 cm | Hooks & Loops | 2 × | p. 44 |
| Power | *** | 100 % polyester*/** | ~ | 20 % higher water absorption*** | 25 – 55 cm | Hooks & Loops | 1 × | p. 44 |
| MicroStrip | *** | 100 % polyamide* 100 % polyethylene** | ✓ | High water retention - up to 6 times its own weight | 25 – 45 cm | Hooks & Loops | 1 × | p. 44 |
| Monsoon | *** | 100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide** | - | Handles large areas | 15 – 45 cm | Hooks & Loops | 1 × | p. 44 |
| Original | ** | 100 % polyethylene* 100 % polyacrylic** | - | Good cleaning power | 25 – 45 cm | Hooks & Loops | 1 × | p. 44 |
| Pad | ** | 100 % polyethylene* 80 % polyacrylic** 20 % polyethylene** | - | Removes tough dirt | 35 + 45 cm | Hooks & Loops | scrubbing surface | p. 44 |
| UniTec | * | 100 % polyester*/** | - | Standard cleaning power | 35 + 45 cm | Snap fasteners | - | p. 44 |

^{*} Support material ** Fibres

***than standard microfibre sleeves












TRADITIONAL WINDOW CLEANING **GLASS SCRAPERS**








- Safer and easier blade change
- Fits securely to poles with Locking Cone
 Includes UNGER Premium Glass Scraper Blade Stainless Steel

| Part No. | Blade | Pack |
|----------|-------|------|
| EN100 | 10 cm | 5 |
| EN150 | 15 cm | 5 |





Switch the angle of the scraper head from 0 to 30° at the touch of a button!



Practical Holster & Scraper Combo

UNGER PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL



- Durable dual-sided replacement scraper blades are made from rust resistant 440A grade stainless steel which provides excellent edge retention and break resistance, ensuring that blades stay sharp for a long time.
- Each blade undergoes a precise angle honing process, creating a razor sharp and consistent cutting angle, enhancing the speed and effectiveness of every scraper pass.
- Perfect for removing paint, decals, tape, heavy soil and debris from glass surfaces, as well as construction clean up.
- Compatible with most flat or angled 10 cm (4") or 15 cm (6") scrapers.



ErgoTec® NINJA HOLSTER

Made of durable solid plastic, the Holster is built to withstand frequent contact with sharp blades thanks to its integrated stainless steel strike plate.

- Fits to most standard tool belts

- Fits the scraper with or without protective cap

| Part No. | Compatible | Pack |
|----------|------------------------------|------|
| HT150 | Fits 10 cm and 15 cm scraper | 5 |



PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL

| Part No. | Blade | Info | Pack |
|----------|-------|--------------------|----------|
| ENB10 | 10 cm | 1 case = 25 blades | 10 cases |
| ENB15 | 15 cm | 1 case = 25 blades | 10 cases |

Also fits ErgoTec®, ProTrim and Trim scrapers



4 CM, SINGLE SHARP EDGE BLADE



ErgoTec® SAFETY SCRAPER

Ergonomic scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB.

- Single sharp edge blade
- Made of metal with rubber grip, sturdy and durable
- Retractable blade for safety

| Part No. | Size | Info | Pack | |
|----------|------|---------------------|------|--|
| SR03K | 4 cm | 20 in a box | 20 | |
| SR04K | 4 cm | 50 in a display box | 50 | |

SAFETY SCRAPER

Convenient scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB.

- Single sharp edge blade
- Made of metal, sturdy and durable
- Retractable blade for safety

| Part No. | Size | Info | Pack | |
|----------|------|---------------------|------|--|
| SR20K | 4 cm | 20 in a box | 20 | |
| SR50K | 4 cm | 50 in a display box | 50 | |



MINI SCRAPER CARBON BLADE

Handy plastic scraper with special locking mechanism.

- Extremely handy fits anywhere!
- Single edge blade for safety

| Part No. | Size | Info | Pack |
|----------|------|---------------------|------|
| STMIN | 4 cm | In a plastic bucket | 100 |

MINI SCRAPER PLASTIC BLADE

Gentle dirt removal on sensitive surfaces.

| Part No. | Size | Info | Pack |
|----------|------|---------------------|------|
| 22233 | 4 cm | In a plastic bucket | 100 |



CARBON STEEL BLADES FOR GLASS SCRAPERS 4 cm

For SR03K, SR04K, SR20K, SR50K, STMIN, 22233.

- Single edge razor blade with aluminium holder
- Easy to replace
- SRBDB includes dispenser with tray for old blades

| Part No. | Size | Info | Pack | |
|----------|------|-----------------------------------|----------|--|
| SRB10 | 4 cm | 100 loose blades | 1 box | |
| SRB20 | 4 cm | 250 blades (50×5) | 1 box | |
| SRBDB | 4 cm | 480 blades (48 × 10 in dispenser) | 48 disp. | |









10/15 CM, REVERSIBLE SHARP BLADE



ErgoTec® GLASS SCRAPER

Large surface blade with ergonomic bi-component handle. Spare blades: TR100 (10 cm), TR150 (15 cm).

- Reversible sharp blade
- Simple slide blade change, with protective cap for safety
- Fits securely to pole with Locking Cone

| Part No. | Size | Info | Pack |
|----------|-------|-------------------------|------|
| EG100 | 10 cm | Packed in a display box | 10 |
| FG150 | 15 cm | Packed in a display hox | 10 |



PROTRIM 10

The convenient lightweight scraper for every day. Spare blades: TR100, KL100.

- Convenient and compact
- Retractable blade for safety
- Blade replacement and cleaning at push of a button

| Part No. | Size | Info | Pack |
|----------|-------|-----------------------|------|
| TX100 | 10 cm | Packed in display box | 10 |



TRIM 10+1

stainless steel glass scraper. In practical plastic box, with 10 blades.

Spare blades: TR100, KL100,

- Strong stainless steel
- Fits in UNGER squeegee handles
- Folding mechanism for safety

| Part No. | Size | Info | Pack |
|----------|-------|-----------------------------------|----------|
| TM100 | 10 cm | 1 case = 1 holder+10 blades | 10 cases |
| TH100 | 10 cm | 1 box = 25 holder in bundles of 5 | 25 |



CARBON STEEL BLADES FOR GLASS SCRAPERS 10/15 cm

Carbon steel blades with reversible sharp edges. For TX100, EG100, EG150, TM100, EN100, EN150.

| Part No. | Size | Info | Pack |
|----------|-------|-----------------------------------|----------|
| KL100 | 10 cm | 250 loose blades | 1 box |
| TR100 | 10 cm | 250 blades (10 cases × 25 blades) | 10 cases |
| TR150 | 15 cm | 250 blades (10 cases × 25 blades) | 10 cases |





SURFACE SCRAPERS

10 CM, REVERSIBLE SHARP/BLUNT EDGE BLADE



ErgoTec® SCRAPER



Ergonomic surface scraper with bi-component handle. Spare blades: RB100.

- Advanced ergonomic handle design for comfortable use
- Angled, heavy metal head with reversible sharp/blunt edge blade

| Part No. | Size | Pack |
|----------|-------|------|
| SH000 | 10 cm | 10 |



ErgoTec® LONG HANDLE SCRAPER

**

The surface scraper with extra power with bi-component handle. Spare blades: RB100.

- 25 cm long handle for extra reach and power
- Reversible sharp/blunt bladeBlade protection cap for safety

| Part No. | Size | Pack |
|----------|-------|------|
| SH250 | 10 cm | 10 |



STAINLESS STEEL BLADES FOR SURFACES

Reversible sharp/blunt edge stainless steel blade. For SH000, SH250 $\,$

- Sharp edge for scraping off paint, stickers, etc.
- Blunt side for removing cement and stucco
- Compact dispenser stores new and used blades
- Blades easily slide in and out of dispenser

| Part No. | Size | Info | Pack | |
|----------|-------|----------------------------|---------|--|
| RB100 | 10 cm | 1 dispenser = 10 blades | 10 disp | |

1 → EXPERT TIPS

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use on Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section
- Before starting work, check the glass for damage and report it, if necessary
- Check the blade for damage and change it, if necessary, or reverse it
- The surface to be scraped should always be wet
- It is best to use a release agent, e.g. "UNGER's Liquid"
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

ATTENTION! UNGER blades are razor-sharp. Always handle with greatest care.





| OVERVIEW | UF | ULASS | SUKAF | EKS |
|----------|----|-------|-------|-----|
| | | | | |
| | | | | |
| | | | | |

| | LASS SCRAPER 2-sided sharp blade) | QUALIT | Y BLAI | | BLADE S | IZE I | HANDLE | FITS ON SAFETY CON | ANG E ADJUST | | BLADI CHANG | | TECTION HANISM | ,O |
|-------|---|---------|-------------------------------------|----------|----------------|----------|---|-----------------------|----------------------------|-----------------|--|-----------------|--|-------------------------|
| 1 | ErgoTec® NINJA (EN100, EN150) | *** | Stainless | steel | 10 cm 15 cm | bi- | -component plastic | | ~ | • | Carriag | е | Сар | p. 46 |
| 1 | ErgoTec® (EG100, EG150) | *** | Carbon : | steel | 10 cm 15 cm | bi- | -component plastic | | - | | Carriag | e | Сар | p. 47 |
| 1 | PROTRIM (TX100) | *** | Carbon : | steel | 10 cm | | Plastic | - | - | | unfold | retrac | table blade | p. 47 |
| | ErgoTec® SAFETY SCRAPER (SR03K, SR04K) | *** | Carbon : | steel | 4 cm | | ainless steel vith rubber coating | - | - | | push ou sideway | retrac | table blade | p. 47 |
| 1 | TRIM 10+1 (TM100, TH100) | ** | Carbon : | steel | 10 cm | Sta | ainless steel | . - | - | | push ou sideway | | mechanism | p. 47 |
| 1 | SAFETY SCRAPER (SR20K, SR50K) | ** | Carbon : | steel | 4 cm | Sta | ainless steel | . - | - | | push ou sideway | | table blade | p. 47 |
| THE . | MINI SCRAPER (STMIN, 22233) | * | Carbon : (STMI Plast (2223 | N) ic | 4 cm | | Plastic | - | - | | push ou sideway | | rn blade | p. 47 |
| | | | | | | | COMPAT | IBLE WITH SCRA | PER | | | PACKAGIN | NG . | |
| GLASS | S SCRAPER BLADES (2-sided sharp) | QUALITY | MATERIAL | SIZE | NINJA I | ERGOTE | C PROTRIM | TRIM 10+1 | RGOTEC SAFETY CRAPER | MINI SCRAPER | вох | BOX CONTENTS | PACK | , O |
| | PREMIUM GLASS SCRAPER | | Stainless | 15 cm | ~ | ~ | - | - | - | - | Carry case | 25 blades | 10 carry cases (250 blades) | p. 46 |
| 1 10 | BLADES (ENB10, ENB15) | *** | steel | 10 cm | ~ | ~ | ~ | ~ | - | - | Carry case | 25 blades | 10 carry cases (250 blades) | p. 46 |
| | | | | 15 cm | ✓ | ~ | - | - | - | - | Carry case | 25 blades | 10 carry cases (250 blades) | p. 47 |
| - C | GLASS SCRAPER | | - | 10 cm | ✓ | ✓ | ✓ | ✓ | - | - | Box | 250 blades | 1 box (250 blades) | p. 47 |
| | BLADES (KL100, TR100, TR150, SRB10, SRB20, SRBDB) | *** | Carbon steel | 4 cm | - | - | - | - | ~ | ✓ | Blister pack Display box Display box box | blades each | 1 blister pack (100 blades) 1 box (250 blades) 1 box (480 blades) | p. 47 p. 47 p. 47 |

OVERVIEW OF SURFACE SCRAPERS

| SURFACE SCRAPERS (1-sided sharp blade) | QUALITY | BLADE MATERIAL | BLADE SIZE | HANDLE | FITS ON SAFETY CONE | MORE ANGLE METAL HEAI | | | ROTECTION ECHANISM | 0 |
|---|---------|-------------------|------------|--|-----------------------------------|---------------------------|----------------|--------------------------------|------------------------------|-------|
| ErgoTec® SCRAPER (SH000) | *** | Stainless steel | 10 cm | bi-component plastic | | ~ | uns | screw | Сар | p. 48 |
| ErgoTec® LONG HANDLE SCRAPER (SH250) | *** | Stainless steel | 10 cm | Long handle (25cm) bi-component plastic | - | ~ | uns | screw | Сар | p. 48 |
| | | | | COMPAT | IBLE WITH SCR. | APER | | VERPACKU | NG | |
| SURFACE SCRAPERS BLADES (1-sided sharp) | QUALITY | MATERIAL | SIZE | ERGOTEC L | ERGOTEC LONG HANDLE SCRAPER | FLOOR SCRAPER LIGHT | вох | BOX CONTENTS | PACK | 0 |
| PREMIUM SURFACE BLADES (RB100) | *** | Stainless steel | 10 cm | ~ | ~ | ~ | Display Box | 10 Dispenser 10 blades each | 10 Dispenser (100 blades) | p. 48 |













TELESCOPIC POLE SYSTEM



TELESCOPIC POLE SYSTEM

Safety at the highest level.

UNGER telescopic poles have always been the ideal tool for the job when it comes to making professional glass cleaning from the ground easier – and in addition save time and money.

OptiLoc

For even more ease of use and handling, **UNGER** has now further optimised its **OptiLoc** telescopic poles. Thanks to the new 2-component twist lock, this new generation of **OptiLoc** telescopic poles offers many advantages.


- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft) (max. pole length 9 m (30 ft) + body height)
- · Weight and rigidity perfectly balanced
- ErgoTec® Locking Cone included

TelePlus System

- Extendable modular telescopic pole
- 2 section basic poles
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
- Reach in excess of 10 m (32 ft) (max. pole length 10 m (32 ft) + body height)
- ErgoTec® Locking Cone included

UniTec

- 2 section telescopic pole
- Available in 3 different lengths
- Interior lock, twist right or left for locking
- Reach in excess of 4 m (13 ft) (max. pole length 4 m (13 ft) + body height)



OPTI LOC





ERGONOMIC HANDLE DESIGN

- 2c surface for a comfortable grip
- Ergonomic and secure grip even in wet conditions



- Safe stand when you set the OptiLoc telescopic pole down
- Protects from damage

VERSATILE COMPATIBILITY



TELESCOPIC POLE SYSTEM

Pack Unit 10: All poles can be ordered with the pack unit 10 pieces. "Pick & Pack": Make up 10 pieces or a multiple of 10 from these poles.

OPTI LOC



OptiLoc POLE, 2 SECTIONS

With bi-component handles and twist locks, with ErgoTec® Locking Cone.

| Part No. | Size max. | Size min. |
|----------|-----------|-----------|
| EZ120 | 1,25 m | 0,78 m |
| EZ250 | 2,50 m | 1,40 m |
| EZ300 | 3,00 m | 1,65 m |
| F7//00 | 4 00 m | 2 13 m |

OptiLoc POLE, 3 SECTIONS

With bi-component handles and twist locks, with ErgoTec $^{\circ}$ Locking Cone.

| Part No. | Size max. | Size min. |
|----------|-----------|-----------|
| ED180 | 1,85 m | 0,96 m |
| ED370 | 3,75 m | 1,57 m |
| ED450 | 4,50 m | 1,82 m |
| ED600 | 6,00 m | 2,27 m |
| ED750* | 7,50 m | 2,81 m |
| ED900* | 9,00 m | 3,37 m |

* These poles are excluded from "Pick & Pack" and are each only available in an unmixed pack unit of 10 pieces!

TELE PLUS

TelePlus POLE, 1,25 m SECTIONS

 ${\bf Modular\ Telescopic\ pole\ with\ ErgoTec^{\otimes}\ Locking\ Cone.}$

| Part No. | Size max. | Size min. | Sections | |
|----------|-----------|-----------|----------|--|
| TZ250 | 2,50 m | 1,66 m | 2 | |
| TD370 | 3,70 m | 1,70 m | 3 | |
| TV500 | 5,00 m | 1,75 m | 4 | |
| TF620 | 6,20 m | 1,78 m | 5 | |

TelePlus3 EXTENSION

Extension for 2 section poles. Ø 29 mm

| Part No. | Size |
|----------|--------|
| T3120 | 1,25 m |
| T3200 | 2,00 m |

TelePlus POLE, 2,00 m SECTIONS

 ${\bf Modular\ Telescopic\ pole\ with\ ErgoTec^{\otimes}\ Locking\ Cone.}$

| Part No. | Size max. | Size min. | Sections |
|----------|-----------|-----------|----------|
| TZ400 | 4,00 m | 2,24 m | 2 |
| TD600 | 6,00 m | 2,42 m | 3 |
| TV800 | 8,00 m | 2,48 m | 4 |
| TF100 | 10.00 m | 2 52 m | 5 |

TelePlus4 EXTENSION

Extension for 3 section poles. Ø 33 mm

| Part No. | Size | |
|----------|--------|--|
| T4120 | 1,25 m | |
| T4200 | 2,00 m | |

TelePlus5 EXTENSION

Extension for 4 section poles. Ø 37 mm

| Part No. | Size | |
|----------|--------|--|
| T5120 | 1,25 m | |
| T5200 | 2,00 m | |

UNI TEC

UniTec POLE, 2 SECTIONS

Telescopic pole with standard nylon cone. Quick lock by twisting sections against each other

| Part No. | Size max. | Size min. | |
|----------|-----------|-----------|--|
| OS210 | 2,00 m | 1,12 m | |
| OS250 | 3,00 m | 1,64 m | |
| OS260 | 4,00 m | 2,13 m | |

ONE STAGE POLE, 1 SECTION

With ErgoTec® Locking cone. Ø 21 mm

| Part No. | Size |
|----------|-------|
| HH240 | 60 cm |



OVERVIEW TELESCOPIC POLES


| | | | | POLE LENGTH | | POLE LENGTH LENGTH | | | | | | | | | | |
|-------------------------------|---------|------------|---------------|--------------|----------------|--------------------|--------------|-------------------------------|--------------------|--------------------|--------------|-------------------------------|-----------------|----------------------|----------------|--|
| ALUMINIUM TELESCOPIC POLES | QUALITY | EXTENSION | ELE- MENTS | UP T0 2 M | UP TO 3 M | UP T0 4 M | UP TO 5 M | UP TO 6 M | UP T0 7 M | UP TO 8 M | UP TO 9 M | UP TO 10 M | ADJUST- MENT | HANDLE | SAFETY CONE | |
| | *** | Telescopic | 2 | EZ120 | EZ250 EZ300 | EZ400 | | | | | | | Twist lock, | 2c plastic with | | |
| OptiLoc | | retescopic | 3 | ED180 | | ED370 | ED450 | ED600 | ED600 | ED750 | ED900 | | 2c plastic | Anti-slip end cap | L | |
| | | 2 | | TZ250 | + T3120 | + T3120 + T4120 | | + T3120 + T4120 + T5120 | | | | | | | | |
| | | | 3 | | | TD370 | + T4120 | | + T4120 + T5120 | | | | | | | |
| | ** | Telescopic | 2 | | | TZ400 | | + T3200 | | + T3200 + T4200 | | + T3200 + T4200 + T5200 | Twist lock, | | Plastic | |
| TelePlus | | + modular | 4 | | | | TV500 | | + T5120 | | | | plastic | | | |
| | | | 3 | | | | | TD600 | | + T4200 | | + T4200 + T5200 | | | | |
| | | | 5 | | | | | | TF620 | | | | | | | |
| | | 4 | | | | | | | TV800 | | + T5200 | | | | | |
| | | | 5 | | | | | | | | | TF100 | | | | |
| UniTec | * | Telescopic | 2 | OS210 | 0S250 | 0 S260 | | | | | | | Inner closure | Plastic | | |

1 USE THE HIGH QUALITY nLITE® CARBON COMPOSITE TELESCOPIC POLE

- Easy to use clamps for length adjustment
- Ultra-lightweight and extremely durable
- Comfortable, ergonomic work, innovative, unique pole shape unique pole shape, optimally adapted to the hand
- \bullet 2- or 4 section pole, available in the following lengths 1,60 m, 3,20 m und 6,00 m
- High quality mix of carbon and glass fibres
- Compatible with classic glass cleaning tools with the cone adapter



| Part No. | Product | Size |
|----------|-----------------------------------|--------|
| NLCLA | nLITE cone adapter with cone | |
| NGS15 | nLITE angle adapter | 15 cm |
| CC16T | nLITE telescopic pole, 2 sections | 1,60 m |
| CC32T | nLITE telescopic pole, 2 sections | 3,20 m |
| CC60T | nLITE telescopic pole, 4 sections | 6,00 m |
| | | |


















ADAPTERS & MAINTENANCE



ANGLE JOINTS

Freely adjustable angle allows access to hard-to-reach places.

- Available in sturdy zinc version or lightweight plastic version
- Fits to telescopic pole

| Part No. | Version | Pack |
|----------|---------|------|
| CJA00 | Zinc | 5 |
| CJN00 | Plastic | 5 |



TOOL HOLDER

Ideal for paint rollers, scrapers and other tools with up to \emptyset 3cm handle.

- Enables safe operation from the ground with secure tool handle lock
- Adjustable angle that locks securely via bolt with nut
- Fits to telescopic pole

| Part No. | Pack |
|----------|------|
| PBR00 | 5 |



With 1/2" thread. Fits conventional brooms.

- Adapter is inserted into pole and locks in place via stand spring

| Part No. | Pack |
|----------|------|
| BE000 | 5 |



ErgoTec® LOCKING CONE

Securely locks tools on the telescopic pole. Incl. ACME thread $\,$

- Compatible with all UNGER systems
- Quick and easy tool change via release button

| Part No. | Pack |
|----------|------|
| NCAN0 | 5 |



CONE

For attaching or screwing on tools. Incl. ACME thread

– Cone is inserted into pole and locks in place via stand spring

| | • | | 1 3 |
|----------|---|------|-----|
| Part No. | | Pack | |
| NCA00 | | 5 | |



BULB CHANGER

For changing round light bulbs in high access areas without ladders. Rubber coated spring steel fingers.

- Enables safer and faster bulb change from the ground
- Fits to telescopic pole

| Part No. | Pack |
|----------|------|
| BS010 | 5 |



Innovative cleaning system, ideal for cleaning large and high surfaces such as boats and vehicles.

- vehicles.

 Firmly retains a sponge or cloth by tightening the locking collar
- Fits on telescopic pole
- Stiff bristle brush effectively removes stubborn dirt

| Part No. | Version | Pack |
|----------|---------|------|
| FIXI0 | Clamp | 5 |
| HBR00 | Brush | 5 |
| SP010 | Sponge | 10 |



THREAD ADAPTER FOR ALU-POLES

Anodized aluminium adapter for fitting the Pad Holder to aluminium poles.

- Fits into any UNGER aluminium pole with 21mm diameter just click in
- Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes

| Part No. | Pack |
|----------|------|
| AFAET | 5 |



Ergo HANDLE EXTENSION

Additional 20 cm reach for cleaning glass.

- Offers additional reach for safer cleaning without ladders
- Fits to all cone tools

| Part No. | Size | Pack | |
|----------|-------|------|--|
| HH000 | 26 cm | 10 | |

GLASS CLOTHS



WINDOW MICROFIBRE CLOTH SYSTEM





CLEANING WITH MICROFIBRE

Microfibre is highly efficient in removing dirt, oils, embedded soils and bacteria from surfaces without chemicals due to its slightly abrasive fibre texture. When used dry the statically charged fibre attracts and holds dust in place, unlike cotton or paper cloths.

Highly absorbent microfibre requires less water and chemicals for effective cleaning, allowing a reduction in water and harsh chemical consumption.

Microfibre is hard wearing and reusable generating less waste for landfill disposal than cotton or paper disposable cloths.



ErgoTec® NINJA MICROWIPE

Best in Class premium lint free microfibre cloth.

- Fabric weight: 400 g/m²
- Double sided coarse for cleaning and smooth for polishing
- With 4 scrubbing corners for removing stubborn dirt
- Pocket corners for hanging the cloth on the pole for detailing at height
 Reinforced overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MN40H | 40 × 40 cm | Microfibre* | 5 |
| MN55H | 55 × 55 cm | Microfibre* | 5 |
| MN60H | 80 × 60 cm | Microfibre* | 5 |



MICROWIPE LITE

Lint free microfibre cloth.

- Fabric weight: 300 g/m²
- Super soft, easy to use low friction material
- Overlock stitch along the edges ensures shape retention
- Machine washable up to 200 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MF40E | 40 × 40 cm | Microfibre* | 10 |
| MEYUE | 40 × 80 cm | Microfibro* | 10 |



CHAMOIS

Professional quality sheepskin chamois.

- Excellent for glass cleaningQuality checked by hand

| Part No. | Size | Material | Pack |
|----------|------------|-----------|------|
| FS450 | ca. 0,4 m² | Sheepskin | 5 |
| ES550 | ca 0.5 m² | Shoonskin | 5 |



MICROWIPE

The "Original" lint free microfibre cloth.

- Fabric weight: 350 g/m²
- Double sided coarse for cleaning and smooth for polishing
- Overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MF40L | 40 × 40 cm | Microfibre* | 10 |
| MEANI | 60 × 80 cm | Microfibre* | 10 |



SCRIM

For polishing and spot cleaning of glass surfaces.

- Robust and durable
- Generous size for large surface. Washed scrim cloth size may vary slightly due to shrinking.
- Versatile best seller

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| SCRM1 | 92 × 92 cm | 100 % Linen | 10 |

^{* 80 %} polyester, 20 % polyamide

BUCKETS, BELTS, POUCHES







C2C CERTIFIED MATERIAL HEALTH CERTIFICATE SILVER

Green Label BUCKET 12 L

Bucket for glass cleaning, made of hon-hazardous materials.

- Avoidance of toxic chemical products
 Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position
- Includes storage options for washers and window squeegees up to 35 cm wide
- Made in Germany

| Part No. | Capacity / Inside dimension | Pack | |
|----------|-----------------------------|------|--|
| GTB12 | 12 l / 40 × 19cm | 10 | |



BUCKET 12 L

Bucket for glass cleaning.

- Compact, rectangular design for easier transportation
- Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position
- Includes storage options for washers and window squeegees up to 35 cm wide
- Two spouts, measuring scale

| Part No. | Capacity / Inside dimension | Pack | |
|----------|-----------------------------|------|--|
| QB12B | 12 l / 40 × 19cm | 10 | |



BUCKET 28 L

Large bucket for glass cleaning.


- Holds 45 cm squeegee
 Features measuring scale and two spouts
- Available optional accessories: lid, bucket sieve

| Part No. | Capacity / Inside dim. | Pack |
|----------|------------------------|------|
| QB220 | 28 l / 54 × 26,5 cm | 5 |



QB080





| / | - · · · · · · · · · · · · · · · · · · · | | |
|----------|---|------|--|
| Part No. | Product | Pack | |
| QB060 | Bucket Sieve | 5 | |
| QB080 | Lid | 5 | |



Durable plastic holder for squeegee, washer, scraper.

- Conveniently holds all important tools
- Ideal for use on ladders, indoors or in narrow spaces
- BB010 with Protector insert for optimum squeegee compatibility

| Part No. | Can hold the following tools | Pack |
|----------|--|------|
| BB010 | NINJA: 1 washer, 2 squeegees, 1 scraper | 5 |
| BB020 | Classic: 1 squeegee, 1 washer, 1 scraper | 5 |



ErgoTec® BELT

Solid belt for carrying tool holders. 4 eyes, padding, quick release.

| Part No. | Size | Material | Pack |
|----------|-------------|----------|------|
| BSTBT | 80 – 130 cm | Nylon | 1 |



ErgoTec® POUCH

3 compartments. Dry and damp cloths can be stored separately. Front pocket with flap and hooks & loops fastener.

| Part No. | Size | Material | Pack |
|----------|------------|----------|------|
| BSP0U | 30 × 37 cm | Nylon | 1 |



CANVAS APRON

Made of solid nylon with 2 large compartments for cloths, scraper, etc.

- Keeps essential tools protected
- Great for working at height
- Includes adjustable belt

| Part No. | Material | Pack |
|----------|----------|------|
| SRZ10 | Nylon | 10 |



HENRY'S DOUBLEHOLSTER

Leather tool holder, two compartments. For fastening to belt.

- Convenient for holding squeegees and washers
- Extremely solid quality leather - Fits on most belts

| Part No. | Pac |
|----------|-----|
| LITOOO | - |



THE BELT

Solid nylon belt for attaching bucket and other tools on a belt.

- Convenient loops for tools (squeegee, etc.)Clip lock for quick fastening
- Adjustable length

| Part No. | Size | Material | Pack | |
|----------|--------|----------------------|------|--|
| UB000 | 115 cm | Polypropylene, nylon | 5 | |
| | | | | |



LASS0

Belt fastening safety tool to secure a squeegee.

- Prevents squeegee from dropping
- Flexible and solid, with inner cord made from kevlar
- Secure hold

| Part No. | Size | Pack | |
|----------|-------|------|--|
| SL010 | 55 cm | 10 | |

TRADITIONAL WINDOW CLEANING SOAP, GLOVES







NINJA LIQUID



Window cleaning soap, liquid. Power formula with extended foam life.

- Power formula with ultimate cleaning power for streak-free results
- pH value 5,1 in aqueous solution

| Part No. | Content | Pack |
|----------|---------|------|
| FR10S | 1 l | 12 |









Green Label LIQUID



Window cleaning soap, gel-like concentrate (1:100).

- Can be applied directly to the washer sleeve or dissolved in water
- pH value 5,1 in aqueous solutionContainer made from recycled material
- Made in Germany

| GTL10 | 1 l | 12 |
|-------|-----|----|
| | | |
| | | |





UNGER's LIQUID



Window cleaning soap, liquid, Concentrate, Mixing ratio 1:100.

- Excellent cleaning power
- Simply add to water, pH value 6.9 in aqueous solution

| Part No. | Content | Pack |
|----------|---------|------|
| FR100 | 1 l | 12 |
| FR500 | 51 | 2 |



UNGER's GEL

Window cleaning soap for direct application onto washer.

- Economic, covers large areas
- Excellent cleaning power
- Apply directly onto washer, pH value 6,9 in aqueous solution

| Part No. | Content | Pack |
|----------|---------|------|
| FG050 | 0,5 l | 10 |



RUB OUT

Professional glass cleaner. Compact bottle with easy dispense cap.

- Removes hard water stains, rust, mineral deposits, limescale and soap residue
- Tough on stains, gentle on glass, pH value: 5

Attention: Some surfaces are easily scratched. Always test Rub Out prior to use.

| Part No. | Content | Pack |
|----------|---------|------|
| RUB20 | 0,5 l | 12 |



ErgoTec® NEOPRENE GLOVES

Gloves for window cleaning, made of 3 mm thick textile neoprene.

- Tear resistant stitching and glue seal along seams for durability
- Knuckle inserts and flexible curved shape for ultra comfort - Non slip palm with screened-on silicone for secure grip
- Adjustable hooks & loops wrist strap

| Part No. | Size | Hand circumference | Material | Pack |
|----------|------|--------------------|-------------------|------|
| GL02S | 7 | 18 – 19 cm | Neoprene, textile | 5 |
| GL02L | 8 | 20 – 21 cm | Neoprene, textile | 5 |
| GL02X | 9 | 22 – 23 cm | Neoprene, textile | 5 |
| GL02Z | 10 | 24 – 25 cm | Neoprene, textile | 5 |



NEOPRENE GLOVES

Gloves for window cleaning. Rubber Neoprene.

- Tear resistant stitching and glue seal along seams for durability
- Soft and comfortable on inside
- Non slip palm for secure grip
- Adjustable hooks & loops wrist strap

| Part No. | Size | Hand circumference | Material | Pack | |
|----------|------|--------------------|-------------------------|------|--|
| GLOV1 | 7 | 18 – 19 cm | Neoprene, rubberized | 10 | |
| GLOV2 | 8 | 20 – 21 cm | Neoprene, rubberized | 10 | |
| GLOV3 | 9 | 22 – 23 cm | Neoprene, rubberized | 10 | |
| GL0V4 | 10 | 24 – 25 cm | Neoprene, | 10 | |





POLE GLOVES

Premium quality gloves, extra robust for pole work.

- Ergonomic design for full hand movement and pole control
 Non-slip textured reinforcement panels on palm and fingers
- Teflon coated fabric for superior water resistance, with triple seams - Adjustable hooks & loops wrist strap with hook and loop for secure fitting
- Webbing loop for added ease while putting glove on


| Part No. | Size | Hand circumference | Material | Pack |
|----------|----------|--------------------|-----------------|------|
| GL0C1 | S (8) | 19 – 21 cm | Blended fabric* | 5 |
| GLOC/ | XXI (11) | 24 = 26 cm | Blanded fabric* | 5 |

IDENTIFY YOUR GLOVE SIZE:

Measure the circumference of your hand at the widest point, right under the knuckles, excluding thumb. Check our size guide charts on the right to identify your glove

ATTENTION: Neoprene gloves run up to one size smaller. Our recommendation: Order one size larger than you usually wear. The tables provide guidelines for your glove size.

We always recommend trying them on before buying!



^{*} Palm: 50 % polyester, 50 % polethylene; Back of the hand: 50 % nylon, 50 % polythylene

WINDOW CLEANING KITS

The new glass cleaning kits - top equipment for every need





- · High-quality, attractive packaging
- Including detailed instructions for professional window cleaning
- All products in the kit are fully assembled
- Comprehensive sales support available for online sales.
- Three quality levels and equipment the right one for every need.

The attractive kit scores points on the shelf and in online sales

ERGOTEC®





Professional glass cleaning kits with high-quality ErgoTec® products for professional glass and building cleaners ergonomic and efficient.



Illustration similar

| ErgoTec® KITS | STARTER KIT | ADVANCED KIT | COMPLETE KIT |
|--|--------------|---------------|--------------|
| Content: | 2 in1 | 3 in 1 | 6 in1 |
| ES35G ErgoTec® Squeegee 35 cm with green rubber | ✓ | ✓ | ✓ |
| EH350 ErgoTec® T-Bar 35 cm with Power sleeve (BS350) | ✓ | ✓ | ✓ |
| QB12B Bucket 12 L | | ✓ | ✓ |
| FR100 UNGER Liquid 1 L soap | | | ✓ |
| SR03K ErgoTec® Safety Scraper 4 cm | | | ✓ |
| MF40L MicroWipe Microfibre Cloth 40 × 40 cm | | | ✓ |
| Part No. | AK011A | AK013 | AK015 |
| Pack | 5 | 1 | 1 |

TRADITIONAL WINDOW CLEANING WINDOW CLEANING KITS









Premium glass cleaning kit with NINJA high-performance tools for versatile cleaning tasks -

Top performance for the professional glass and window cleaner.



| ErgoTec® NINJA KITS | | STARTER KIT | ADVANCED KIT | COMPLETE KIT |
|---|----------|--------------|---------------|--------------|
| Part No. / Product | | 2 in1 | 4 in 1 | 6 in1 |
| EN350 Ninja Squeegee 35 cm | | ✓ | ✓ | ✓ |
| NA350 Ninja Washer complete, 35 cm | | ✓ | ✓ | ✓ |
| MN40H Ninja MicroWipe microfibre cloth 40 x 40 cm | | | ✓ | ✓ |
| BB010 Ninja Bucket on a Belt | | | ✓ | ✓ |
| EN100 Ninja Glass Scraper 10 cm | | | | ✓ |
| HT150 Ninja Holster 15 cm | | | | ✓ |
| | Part No. | AKN10 | AKN12 | AKN14 |
| | Pack | 5 | 5 | 5 |

Illustration similar

PRO WINDOW GLEANING





The state of the s

AKG14

Illustration similar

Glass cleaning kit with tools for streak-free window cleaning.

| PRO WINDOW CLEANING KITS | STARTER KIT | ADVANCED KIT |
|---|--------------|---------------|
| Part No. /Product | 2 in1 | 4 in 1 |
| SE350 S-Squeegee 35 cm | ✓ | ✓ |
| ON350 UniTec Washer 35 cm, with UniTec sleeve (OE350) | ✓ | ✓ |
| SR20K Safety Scraper 4 cm | | ✓ |
| MF40E MicroWipe Lite Microfibre Cloth 40x40 cm | | ✓ |
| Part No. | AKG10 | AKG14 |
| Pack | 10 | 10 |

WINDOW CLEANING KITS

ERGO TEC® KIT

Top of the range complete glass cleaning kit.

Contains comprehensive selection of ErgoTec® tools for professional glass cleaning.The extensive products are completely housed in a sturdy nylon carrier bag.



| [3 \times] MicroWipe Microfibre Cloth, 40×40 cm |
|---|
| ErgoTec® Squeegee Handle |
| StripWasher® Micro Sleeve, 35 cm |
| ErgoTec® T-bar, 35 cm |
| ErgoTec® Scraper, 10 cm |
| Plastic Clips |
| Soft Rubber, 92 cm |
| ErgoTec® Safety Scraper |
| S-Channel with Soft Rubber, 25 cm |
| S-Channel with Soft Rubber, 35 cm |
| S-Channel with Soft Rubber, 45 cm |
| OptiLoc Telescopic pole, 2 sections, 2,50 m |
| |
| ETSET |
| 1 |
| |

TRANSET

++

Glass cleaning kit

Contains a basic set of tools for professional glass cleaning for beginners. The products are stored in a sturdy nylon carrier bag.



| Content | |
|----------|---|
| PR000 | Pro-Squeegee Handle |
| NE250 | S-Channel with Soft Rubber, 25 cm |
| NE350 | S-Channel with Soft Rubber, 35 cm |
| NE450 | S-Channel with Soft Rubber, 45 cm |
| RR920 | Soft Rubber, 92 cm |
| WC350 | StripWasher® Original Strip Pac, 35 cm |
| EZ250 | OptiLoc Telescopic Pole, 2 sections, 2,50 m |
| FIXI0 | FIXI Clamp |
| HBR00 | FIXI Brush |
| SP010 | FIXI Sponge |
| SR20K | Safety Scraper |
| TX100 | ProTRIM10 Scraper |
| Part No. | TRS00 |
| Pack | 1 |

CONSERVATORY KITS

**

Starter Kit

For cleaning with a telescopic pole. Contains ideal basic equipment for glass cleaning and conservatory cleaning with a telescopic pole.

Complete Kit

Includes tools to effortlessly clean conservatories, patio roofs, glass extensions and other areas that are difficult to access.



| Content: | | STARTER KIT | COMPLETE KIT |
|----------|---|-------------|--------------|
| ED450 | OptiLoc telescopic pole, 3 sections, 4,50 m | 1 | ✓ |
| EZ120 | OptiLoc telescopic pole, 2 sections, 1,25 m | n 🗸 | |
| VV350 | NEW: VisaVersa® Pro 35 cm | ✓ | ✓ |
| MF40L | MicroWipe microfibre cloth 40 × 40 cm | ✓ | ✓ |
| MF40E | MicroWipe microfibre cloth Lite 40 × 40 cm | n | ✓ |
| FG050 | UNGER's Gel window cleaning soap 0,5 l | | ✓ |
| COBW0 | StarDuster® Cobweb 20 cm | | ✓ |
| Part No. | | AK131 | AK130 |
| Pack | | 1 | 1 |





The most efficient indoor cleaning tool ever!

Recent research indicates that when cleaning indoor windows, cleaning professionals face 2 key challenges – efficiency and safety. Current tools lead to time consuming issues, like re-arranging of furniture and reaching high or unusually positioned windows*. Current solutions to these issues lead to more wasted time and the risks associated with the use of ladders. Moreover, for the least experienced need for intensive staff training create additional problems.

The revolutionary **UNGER Stingray:** the most efficient indoor cleaning tool ever. It cleans windows up to 25 % faster and uses up to 39 % less chemical than traditional methods.**

The **UNGER Stingray** system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces!

Increased productivity, greater cost efficiency and sustainability because:

- ► 25% faster than traditional methods**
- ➤ 39 % less liquid consumption**
- ► Numerous ergonomic benefits improve workers' comfort and safety less downtime and health risks!
- ► Perfect for daytime cleaning: no drips and no runs = no mess and health risks!
- *Source: Market Research Professional Window Cleaners. Germany/UK, 2015, SR Strategy Routes
- **compared to traditional spray and cloth cleaning (Source: "Interior Glass Cleaning", 16.07.15, Sabine R. Mück, Hygiene Consult Mück)













INDOOR WINDOW CLEANING

STINGRAY SYSTEM

► FASTER

25 % faster than traditional methods**

- One step "Apply and Clean" Technology
- Microfibre **TriPad** for simultaneous cleaning of windows & frames
- Enclosed spray nozzle design prevents overspraying, eliminating drips, streaks and the rework associated with wet window sills
- 15 % larger pad size saves time via reduced frequency of pad change (compared to traditional pads e.g. **UNGER** PHL20)





► TOTAL FLEXIBILITY

Mastering every challenge with a single tool

- Unique triangular **TriPad** shape makes it easy to clean corners and other hard to reach areas
- Easy-Click-Pole technology simply add on another pole extension to reach heights of up to 5 m!





► ERGONOMIC AND SAFE

Comfortable and safe working up to 5 m

- Enclosed spray nozzle prevents inhalation of cleaning liquid
- Triangular pole shape facilitates enhanced grip for perfect control
- Stingray's weight distribution is towards the cleaning surface, so it is easy to use and minimizes back strain
- Battery powered sprayer helps to reduce operator fatigue



► INCREDIBLE EASE-OF-USE

Professional results with minimal training

- **Stingray:** Ready-to-use, easily replaceable pouches, pre-filled with professional glass cleaner
- **Stingray OS:** Removable tank. Can be quickly and flexibly filled with all alcohol-based glass and surface cleaners and with pure water
- Spray activation button on each Easy-Click-Pole as well as on the handheld unit – press & play!
- QuikPad Fast change + prevents cross-contamination

INDOOR WINDOW CLEANING STINGRAY SYSTEM













| Stingra | y 0S KITS | QUICKPAD KIT 160 OS | INDOOR CLEANING KIT 100 OS | INDOOR CLEANING KIT 330 OS | INDOOR CLEANING KIT 450 OS |
|----------|--|---------------------|----------------------------|----------------------------|----------------------------|
| Part No. | Content | SRKOD | SRK02 | SRK03 | SRKOH |
| | Handheld unit (includes 2 × Alkaline AA batteries) | ✓ | ✓ | ✓ | ✓ |
| SREXS | Easy-Click-Pole-short (0,63m) | | ✓ | ✓ | ✓ |
| SREXL | Easy-Click-Poles-long (1,24m) | ✓ | | 2x | 3x |
| SRPD2 | Deep Cleaning Microfibre TriPad | | 2x | 2x | 2x |
| SRADK | Adapter with 25 QuickPads | ✓ | | | |
| SRBAG | Stingray Bag | | | | ✓ |
| Pack | | 1 | 1 | 1 | 1 |
| | | | | | |







Stingray GLASS DEEP CLEANING TRIPAD

Microfibre Cleaning Pads

- Superb cleaning power thanks to premium microfibre
- Including colour coding stripes
- Elastic bands for secure fit and easy assembly
- 5 pads in a box (= minimum order quantity)
- Size: $25 \times 25 \times 25 \times 2,50$ cm, machine washable up to 300 times

| Part No. | Material | Pack | |
|----------|--------------------------------|------|--|
| SRPD2 | 90 % polyester, 10 % polyamide | 5 | |



Stingray QUIKPADS

Hygienically clean without having to launder

- · Quickly and safely removes fingerprints, grease, etc.
- Optimal for preventing cross contamination
 Coverage per QuikPad: 15 m²
- 3-layer construction: cleaning layer, absorbent core, and fastening layer
- Adapterplate (SRADK) for subsequent conversion of Stingray hand tools
 Quick and easy pad change

| Part No. | Version | Material | Pack |
|----------|----------------------------|------------------------------|------|
| SRADK | 1 × Adapter, 25 × QuikPads | 54 % polyester, 46 % viscose | 1 |
| SRPD3 | Pack of 25 | 54 % polyester, 46 % viscose | 1 |
| SRPD4 | Pack of 100 | 54 % polyester, 46 % viscose | 1 |

Stingray EASY-CLICK-POLES

Extends the Stingray unit by 1,24 m

- Reinforced for a working height of up to 5 m.
- Triangular shape for enhanced grip
 Light, rigid aluminium, features Easy-Click mechanism and spray activation button

| Part No. | Size | Pack |
|--------------|----------|-------|
| SREXS | 0,63 m | 1 |
| SREXL | 1,24 m | индеж |
| Stingray RAG | The same | |

Stingray BAG

Lightweight nylon bag for storage and transportation of your complete Stingray System.

- Zip fastening allows bag to open flat
- Multiple fasteners and pockets for additional tools

| Part No. | Size | Pack |
|----------|-----------------|------|
| SRBAG | 130 × 33 × 5 cm | 1 |



Stingray GLASS CLEANER


Professional Glass Cleaner powered by 3M Scotchgard $^{\text{TM}}$, for Stingray system with silver cover, without tank.

- Easy gliding, quick drying high efficiency
- Cleaning power up to 150 m² (at low to medium polluted surfaces)
 24 pouches (150 ml) in a box (= minimum order quantity)

| Part No. | Content | Pack |
|----------|---------|------|
| SRL01 | 150 ml | 24 |

INDOOR WINDOW CLEANING

CLEANING SYSTEM





MICROFIBRE CLEANING PAD

Extra smooth, easy glide microfibre pad for regular cleaning.

- Removes dust, fingerprints, grease and other light dirt from glass
- Strong hooks & loops backing for attaching to Pad Holders PHH20 and PHD20 $\,$

| Part No. | Size | Material | Pack |
|----------|-------|--------------------------------|------|
| PHL20 | 27 cm | 70 % polyester, 30 % polyamide | 5 |



While stocks last

MICROFIBRE POLISH PAD

- Microfibre polish pad for regular cleaning.

 Removes dust, fingerprints, grease and other light dirt from glass and mirrors
- Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

| Part No. | Size | Material | Pack |
|----------|-------|--------------------------------|------|
| PHP20 | 27 cm | 70 % polyester, 30 % polyamide | 5 |



MICROFIBRE WASH PAD

Microfibre wash pad for periodic washing and heavy soil.

- 15 mm long, thick fibres easily remove tough dirt Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

| Part No. | Size | Material | Pack |
|----------|-------|--------------------|------|
| PHW20 | 29 cm | 100 % polvethylene | 5 |



SCRUB PAD, WHITE

Abrasive scrub pad for removing tough dirt.

- Removes stubborn dirt, ideal for outdoor cleaning
- Reliably sticks to the backing of Pad Holder PHH20 & PHD20

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| 0PS20 | 25 cm | 100 % polyester | 10 |

STARTER SET



INDOOR CLEANING STARTER SET

Content:

PHL20 (5x) PHH20 Microfibre Cleaning Pad 27 cm Pad Holder 24 cm AFAET Thread adapter for Alu-Poles

| Part No. | Pack |
|----------|------|
| PFK20 | 1 |



PAD HOLDER (HANDHELD)

Aluminium handheld holder for indoor cleaning pads.

- Hooks & loops backing for attaching the pads
- Designed to enable perfect pressure application for thorough and precise cleaning
- Easy to use

| Part No. | Size | Pack |
|----------|-------|------|
| PHD20 | 24 cm | 5 |



PAD HOLDER

Aluminium swivel head holder for indoor cleaning pads.

- Hooks & loops backing for attaching the pads
- Swivel function allows access to hard to reach places
- Fits securely on all UNGER poles with thread

| Part No. | Size | Pack |
|----------|-------|------|
| PHH20 | 24 cm | 5 |



THREAD ADAPTER FOR ALU-POLES

Anodized aluminium adapter for fitting the Pad Holder to aluminium poles.

- Fits into any UNGER aluminium pole with 21mm diameter just click in
- Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes

| Part No. | Pack | |
|----------|------|--|
| ΔΕΔΕΤ | 5 | |



SPRAYER ON A BELT

Fits to the belt for optimum weight support.

- Flexible hose allows upside down spraying
- 1 l bottle included
- Compatible with standard bottles
- Includes colour coding labels

| Part No. | Content | Pack |
|----------|---------|------|
| SOABG | 1 l | 5 |





LITTER PICKING & REACHING AIDS



NiftyNabber® TRIGGER GRIP

Durable litter picker with a strong internal metal bar 360° fully rotating head:

- Access narrow areas
- Locks securely every 90°
- Robust metal bar inside, lightweight, designed to decrease fatigue

Trigger Grip Handle:

Made with glass-reinforced plastic for increased durability

Rubber Claws with Magnetic Tip:

- Reliable grip. Opens up to 10 cm wide and holds items up to 2 kg.
- Hold items with the claw's magnetic tip like coins and cans.

| Part No. | Size | Pack | |
|----------|--------|------|--|
| NT060 | 63 cm | 5 | |
| NT080 | 83 cm | 5 | |
| NT090 | 93 cm | 5 | |
| NT100 | 102 cm | 5 | |





PAPER PICKER

A lightweight tool with a strong metal pin for removing debris such as paper and cans. Ergonomic Design:

- No bending or back strain.
- Handle design positions arm and hand in the optimal position.

Lightweight Shaft:

Rust resistant.

Strong Metal Pin:

- Long enough for picking up several pieces of debris at once.
- Will punch through and hold even thick, aluminium cans.

| Part No. | Size | Pack | |
|----------|-----------------------------------|------|--|
| PPPP0 | 100 cm | 10 | |
| PINP0 | Replacement pins for Paper Picker | 10 | |







NiftyNabber® PRO

A heavy duty litter picker

Steel Claws:

- Molded rubber overlay for an extra-secure grip.
- Powerful hold of small or oddly shaped objects broken glass, cigarettes or coins.
- Opens up to 15 cm wide.

- Ergonomic handle:

 Comfortable pressure handle creates high pressure to hold dirt without tiring your hand. Rugged Design
- Strong enough for heavy-duty work, light enough to protect from back and arm strain. Holds items up to 4,5 kg

| Part No. | Size | Pack | |
|----------|--------|------|--|
| NN400 | 52 cm | 5 | |
| NN900 | 97 cm | 10 | |
| NN140 | 130 cm | 5 | |
| NN960 | 238 cm | 6 | |











NiftyNabber® BAGGER

A durable and weatherproof waste carrier for 180 l bags that is a great multi-tasking alternative to plastic bags.

Ergonomic:

- Allows to avoid unnecessary bending or lifting heavy bags.
- Always open for easy and safe access without touching litter.
- Made of robust material for reduced injury risk from sharp waste.

Robust:

- Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry loops.
- Carries up to 29.5 kg

Practical:

-Folds flat and can be fixed with buttons for space-saving storage and transport..

| Part No. | Size | Ø | Height | Colour | Pack |
|----------|-------|-------|--------|--------|------|
| NB300 | 151 I | 55 cm | 68 cm | | 1 |










Professional Tools for daily and project cleaning tasks

Efficient, Ergonomic, Hygienic

UNGER Maintenance Cleaning tools provide simple solutions for many cleaning tasks. They help professionals to perform their job better, faster and easier.

Their ergonomic design and state of the art functionality ensure full compliance with modern cleaning requirements.

COLOUR CODING Products are coded or can be coded for usage in specific area.



RECOMMENDED USAGE General Washroom

Clinical

Food and Bar Area

General Low Risk Area

Bespoke or Site Specific
















FLOOR CLEANING

erGO! clean

















Feel the intuitive motion

Discover the intuitive S-shape motion with minimal effort: the ultrafast floor cleaning system

Dirt and contamination can quickly be caused by minor mishaps in day-to-day business life. A drink spilt on the floor does not create a good impression and, in the worst-case scenario, if someone stands in it, it may well be spread elsewhere. Precious time passes before the cleaning staff can get their cleaning tools together and be on-site. But the **UNGER erGO! clean** – being fast, ergonomic and professional – will put an end to this.

READY-TO-GO AT ANY TIME AND ANYWHERE

- Ready-to-use immediately
- · No lengthy preparation, such as filling buckets, required
- Cleaning chemicals can be replaced in a matter of seconds.

INCREASED PRODUCTIVITY WITH FATIGUE-FREE WORK

- Reduces the extreme strain placed upon employees and prevents work-related musculoskeletal diseases
- · No lifting and carrying of heavy buckets
- Significantly less effort required for use

A TOP-QUALITY PROFESSIONAL TOOL

- First-class materials guaranteeing a long service life
- Robust tool for long-term use
- Sophisticated product design for intuitive handling





Tested by:











FLOOR CLEANING & FLOOR FINISHING

erGO! clean & erGO!wax





The intuitive S-motion now in series!

Performance without limits!

After the great success of the **erGO! clean** with integrated trigger and detachable tank, our back and joint friendly innovation is now compatible with all **UNGER** floor cleaning systems: The S-Telescopic pole.





More efficient than ever before!

Ultra-fast & ergonomic with just one person

Professionally coat resiliant floor coverings such as linoleum and PVC. Work with the **UNGER erGO! wax** floor coating system continuously and without any interruption thanks to the backpack with 5-liter capacity. Achieve perfect working results with an even application of the cleaning agent by the blockage-free pulse spray system – which also guarantees precise dosing.

The telescopic handle of the **UNGER erGO!** wax floor coating system can be precisely adjusted to the height of the operator which protects his/her back during cleaning work. The rotateable grip ensures an easy and stress reducing working movement. Available in S-curved and straight version.



Backpack, incl. Replacement Pouch, Hose and Pulse-Jet-Unit

INCREASED PRODUCTIVITY THANKS TO CONTINUOUS WORK WITHOUT INTERRUPTION

- Finishing work with just one person
- No lifting or carrying heavy buckets
- Protects employees against high levels of strain and job-related diseases of the musculoskeletal system

A PROFESSIONAL TOOL GUARANTEEING TOP WORKING RESULTS

 Lint free and non-soaking sleeve for easy and perfect distribution of the finishing fluid

FLOOR CLEANING & FINISHING

erGO! clean & erGO! wax

| erGO! clean KITS WITH TANK | | | | |
|--|---|---|---|--|
| Product/PART. NO | Floor-Cleaning-Kit Cleaning Pad FAKT1 | Floor-Cleaning-Kit Cleaning Pad PRO FAKT2 | Floor-Cleaning-Kit Pocket Mop FAKT3 | |
| S-Telescopic Handle FAEPL | | ✓ | | |
| Telescopic Handle FASPL | ✓ | | ✓ | |
| Mop Pad Holder & Cleaning Pad 40 cm FAVMH / FAVMC | ✓ | ✓ | | |
| Pocket Mop Holder & Pocket Mop 40 cm FAPMH / FAPMM | | | ✓ | |
| Tank 500 ml & Colour Coding Rings FABTS / FAORS | (✔) While afterward | stocks last, _S 1l tank FABTL | | |
| Tank 1.000 ml & Colour Coding Rings FABTL / FAORS | ✓ | ✓ | ✓ | |











erGO! TELESCOPIC HANDLE

Ergonomic floor handle with rotateable grip

- FAEPL/FAPLW: Supports intuitive S-shape motions
 FAEPL/FASPL: Blockage-free pulse jet system for precise dosing and integrated dosing lever

| Part No. | Size | Version | Pack |
|----------|---------------|-------------------------|------|
| FAPLW | 1,30 – 1,70 m | S-Shape w/o tank | 1 |
| FAEPL | 1,30 – 1,70 m | S-Shape w/ tank holder | 1 |
| FASPL | 1,30 – 1,70 m | Straight w/ tank holder | 1 |



erGO! MOP HOLDERS

Cleaning Pad and Pocket Mop Holders 40 cm

- Cleaning Pad: for any looped pile flat mop, quick & easy operation
- Pocket: for any standard pocket mop or UNGER flat mop
- Click connection for erGO! handles

| Part No. | Size | Version | Pack | |
|----------|-------|--------------|------|--|
| FAVMH | 40 cm | Cleaning Pad | 5 | |
| FAPMH | 40 cm | Pocket Mop | 5 | |



erGO! CLEANING MOPS

Cleaning Pad, Pocket- and Flat Mop 40 cm

- High quality microfibre pile mops for easy glide and superb cleaning action
- Compatible to all standard systems
- Incl. colour coding stripes

| Part No. | Size | Product | Pack |
|----------|-------|---------------|------|
| FAVMC | 40 cm | Cleaning Pad* | 5 |
| FAPMM | 40 cm | Pocket Mop* | 5 |
| FAPML | 40 cm | Flat Mop* | 5 |


*100 % polyester microfibre



Easy connection tanks for erGO! handles

- 1.000 ml capacity
- Including unscrewable pulse jet unit
- Easy to fill, easy to assemble and to the handle

| Part No. | Size | Product | Pack | |
|----------|-------------------|---------------------|------|--|
| FABTL | 1.000 ml | Big Tank | 1 | |
| FAORS | 1 pack = 4 pieces | Colour Coding Rings | 1 | |
| FAVAS | | Pulse Jet Unit | 1 | |
| FADTS | 1 pack = 5 pieces | Dispenser tube | 1 | |



QS020

erGO! WonderWaxer HOLDER

Light aluminium holder for WonderWaxer sleeve 40 cm

- Stabilisation hooks for straight fit of the sleeve - For floor finishing
- Click connection for erGO! handles

| Part No. | Size | Pack |
|----------|-------|------|
| QS020 | 40 cm | 5 |



erGO! WAX SLEEVE/FINISHING PAD

WonderWaxer sleeve and Finishing Pad 40 cm

- Perfect for finishing floors
- Distributing wax without soaking it up
- Up to 300 wash cycles
- Lint-free material for perfect results

| Part No. | Size | Product | Pack |
|----------|-------|----------------|------|
| QS010 | 40 cm | WonderWaxer* | 10 |
| FAVMF | 40 cm | Finishing Pad* | 5 |

^{*100 %} polyester microfibre









erGO! BACKPACK 5 L

For transportation of finishing or cleaning chemicals

FABAR

- Strong nylon backpack with solid 5 l plastic pouch Available filling utilities like hose and canister valves Connection hose incl. pulse-jet-unit to connect the backpack with the erGOI handle

| tile el 00: lla | nute | | | |
|-----------------|------|-----------------|------|--|
| Part No. | Size | Product | Pack | |
| FABAP | | Backpack | 1 | |
| FABAR | 5 l | Pouch | 5 | |
| FABAH | | Connection Hose | 1 | |
| FABAK | | Refill Kit | 1 | |

FLOOR CLEANING

DOUBLE BUCKET



SmartColor COMBO 30 L



Complete dual bucket with press.

- Two compartments keep clean and dirty water separated
- Emptying via drain spout and dump spout
- Labels included for colour coding
- Complete with vertical press
- Available accessories: Adapter hose WH180

| Part No. | Content | Colour | Pack |
|----------|---------|--------|------|
| COMBG | 30 l | | 1 |



EASY ADAPTER WATERHOSE

Heavy duty adapter hose for dual bucket.

- Fits on every standard water tap
- Allows for convenient filling of bucket on-site

| Part No. | Size | Pack |
|----------|--------|------|
| WH180 | 180 cm | 10 |



Compact and lightweight double bucket for damp and wet mopping of floors



OmniClean DOUBLE BUCKET KIT

For damp and wet mopping of medium to large areas Content:

- OmniClean Telescopic handle without tank, straight
- OmniClean Pad mop holder 40 cm
- OmniClean Microfibre pad 40 cm (CLMFPD)
- OmniClean Cart with straight handle
- Bucket 6 l (clean water)
- 6 l bucket with integrated scrub board (dirty water)
- Labels for colour coding

| Part No. | Pack |
|----------|------|
| CLBK1D | 1 |



SmartColor COMBO 15 L



Compact complete dual bucket with press.

- Two compartments keep clean and dirty water separated
- Labels included for colour coding
- Complete with vertical press
- Available accessories: Adapter hose WH180, side bucket SMSBG

| Part No. | Content | Colour | Pack |
|----------|---------|--------|------|
| COMSG | 15 I | | 1 |



SmartColor SWIVEL BRUSH & SmartColor SWIVEL CORNER BRUSH



Perfect for corners, edges of floors, walls and partitions.

- Durable polypropylene bristles remove even severe dirt
- Swivel head is easy to maneuver and reduces bending and over-reaching
- Angled bristles provide optimal cleaning of corners and edges
- Labels included for colour coding
- ACME threaded handle socket

| Part No. | Size | Pack |
|----------|-----------|------|
| SB20G | 20 × 8 cm | 10 |
| CROOC | 22 cm | 10 |



OmniClean SPOT CLEANING KIT

For selective cleaning of small to medium-sized areas Content:

- OmniClean S telescopic handle with tank and release mechanism
- OmniClean Pad mop holder 40 cm
 2 × OmiClean microfibre pads 40 cm (CLMFPD)
- erGO! Tank 1000 ml (FABTL)
- erG0! Tank 500 ml (FABTS)Retaining clip for two erG0! Tanks
- OmniClean Cart with curved handle and hanging pocket
- 2 × Storage container6 l bucket with integrated scrub board (dirty water)
- Labels for colour coding
- Telescopic dust pan (EDTBG)

| Part No. | Pack |
|----------|------|
| CLSPKD | 1 |



OmniClean INTENSIVE CLEANING PAD MOP

Microfibre mop 40 cm

- High cleaning power thanks to microfibres and scrubbing fibres
- Hooks & loops back for quick and precise installation on the pad mop holder
- Colour coded stripes for cutting

| Part No. | Dimension | Material | Pack |
|----------|-----------|----------------|------|
| CLMFPD | 40 cm | 100% polyester | 5 |

MICROFIBRE MOPS & MOP HOLDER





SmartColor FLAT MOP HOLDER

Swivel head mop holder with the new "no spin" design.

- UNGER mops fit securely with holding clips and can stay on during wringing
- Large surface provides more direct cleaning contact, more scrubbing pressure
- Reduces cleaning time by up to 10 % and reaches in all corners
- Folds at the push of a button, for wringing or replacing mop - Handle socket for cones or handles with 21 and 23 mm diameter, respectively

| Part No. | Size | Ø | Colour | Pack | |
|----------|-------|----------|--------|------|--|
| SM40G | 40 cm | 21-23 mm | | 5 | |



SmartColor MICRO MOP 15.0

Durable microfibre mop, ideal for tiles and stone floors with grout lines.

- Heavy duty 15 mm long fibres with large surface area
- Cut microfibre for improved dirt absorption and streak-free cleaning Reduces bacterial contamination by up to 96 %
- Holds 6 times its own weight in water perfect for cleaning large areas
- Machine washable up to 500 times
 Fits on UNGER Flat Mop Holder SM40G + erG0! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------|--------|-------------|------|
| MM40R | 40 cm | | Microfibre* | 5 |
| MM40Y | 40 cm | • | Microfibre* | 5 |
| MM400 | 40 cm | • | Microfibre* | 5 |
| MM40B | 40 cm | • | Microfibre* | 5 |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester



SmartColor MICRO MOP 7.0

Microfibre mop, ideal for vinyl or sealed floors without grout lines.

- 7 mm long fibres
- Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %
- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------|--------|-------------|------|
| MD40R | 40 cm | • | Microfibre* | 5 |
| MD400 | 40 cm | • | Microfibre* | 5 |
| MD40B | 40 cm | | Microfibre* | 5 |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester



SmartColor SPILL MOP 1 L

Microfibre mop for absorption of large amounts of liquid.

- 14 mm long microfibres, extra-large surface
- Absorbs up to 1 l liquid immediately - Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------------------|--------|-------------|------|
| MA45R | 47×21 cm | | Microfibre* | 5 |
| MA45Y | 47 × 21 cm | • | Microfibre* | 5 |
| MA450 | 47 × 21 cm | • | Microfibre* | 5 |
| MA45B | 47 × 21 cm | • | Microfibre* | 5 |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester

BENEFITS OF USING UNGER'S 100 % MICROFIBRE

- Clean with less water, less chemicals and less streaking
- Reduces bacterial contamination up to 96 % compared to traditional mop heads
- Long lasting and durable, withstands up to 500 wash cycles

While stocks last



SmartColor DAMP MOP PAD

Microfibre pad with high density looped pile for streak free results.

- Machine washable up to 500 times
- Uses less water and solution so floors dry quicker
- Attaches to Pad Holder with hooks & loops backing
- Use with SV40G DampMop Pad Holder or any standard 40 cm Pad Holder
- + erGO! Pad Mop Holder FAVMH
- Swivel head Pad Holder glides easily across floors

| Part No. | Size | Colour | Material | Pack | |
|----------|-------|--------|----------------|------|--|
| DV40R | 50 cm | • | Microfibre* | 5 | |
| DV40Y | 50 cm | • | Microfibre* | 5 | |
| SVANG | 50 cm | Damn | Mon Pad Holder | 5 | |

^{*}Support material: 100 % polyester; Fibres: 100 % polyester



MICROFIBRE MOPS & MOP HOLDER

PRODUCT GUIDE - FLOOR CLEANING - WET & DAMP MOPPING

Our product guide below will help you to identify the best set of tools for keeping the floor perfectly clean.

| Mops / Pads | Ceramic | Natural Stone | Flexible Coverings | | Parquet / | | Specific Cases | 5 | Mop Holders | Double Buckets |
|------------------------------------|----------|--------------------------------|-------------------------------------|----------|-----------|----------|---------------------|-------------------|-----------------------------------|-------------------------------|
| p. 71 – 73 | Tiles | (Granite, Marble, Slate) | (Linoleum, PVC/Vinyl, Rubber) | Laminate | Wood | Cork | Concrete/ Cement | Epoxy Covering | © p. 73-76 | , ○ p. 74–75 |
| erG0! clean mops Pocket Flatmop | ~ | ~ | Tiles/ On Roll | ~ | Sealed* | | ~ | ~ | erGO! Pocket Mop Holder | SmartColor COMBO 15 I/30 I |
| SmartColor SPILL MOP 1 l | ~ | | | | | | Sealed* | ~ * | | |
| SmartColor MICRO MOP 15.0 | ~ | | On Roll | | | | Sealed* | √ * | The same | |
| SmartColor MICRO MOP 7.0 | | | On Roll | | Sealed | | Sealed | √ * | | |
| crGO! clean Mop Pad | ~ | ~ | Tiles/ On Roll | ~ | | | ~ | ~ | erGO! Mop Pad Holder | |
| SmartColor DAMP MOP Pad | | ~ | Tiles | ~ | Sealed | ~ | Sealed | ~ | SmartColor Damp Mop Pad Holder | |
| OmniClean Mop Pad | ~ | ~ | On Roll | ~ | Sealed | | ~ | ~ | Omni Clean Mop Pad Holder | |

FLOOR SQUEEGEES





SANITARY COMBI BRUSH

 $2\,\text{tools}$ in one: Brush with polypropylene bristles and squeegee with double blade foam rubber blade, black. ACME thread.

- Scrubber to remove dirt
- Foam rubber blade for drying floors and joints
- Very sturdy, but lightweight

| Part No. | Size | Pack | |
|----------|-------|------|--|
| PB45A | 45 cm | 10 | |
| PB55A | 55 cm | 10 | |



WaterWand STANDARD

For lighter jobs with double blade black foam rubber.

- Great for cleaning joints
- Sturdy zinc plated steel body
- For streak free floor drying

| Part No. | Size | Pack |
|----------|-------|------|
| MW450 | 45 cm | 10 |



WaterWand HEAVY DUTY

Reinforced version for heavier jobs with double blade black rubber.

- Great for cleaning joints
- Sturdy zinc plated steel body
- For streak free floor drying

| Part No. | Size | Pack | |
|----------|-------|------|--|
| HM450 | 45 cm | 10 | |
| HM550 | 55 cm | 10 | |
| HM750 | 75 cm | 10 | |



WaterWand HEAVY DUTY RED

Reinforced version for heavy duty jobs with double blade red foam rubber, oil and acid resistant.

- Great for cleaning joints
- Sturdy, zinc plated steel body
 For streak free floor drying

| Part No. | Size | Pack | |
|----------|-------|------|--|
| HW550 | 55 cm | 10 | |
| LIMZEO | 75 | 10 | |





WaterWand ACME THREAD INSERT

For all WaterWand squeegees.

| Part No. | Pack |
|----------|------|
| FWAI0 | 10 |



AquaDozer®

For heavy duty jobs, black EPDM rubber. Ideal for industrial environment.

- Sturdy construction
- Solid handle socket

| Part No. | Size | Version | Pack |
|----------|-------|----------|------|
| FP600 | 60 cm | Straight | 6 |
| FP900 | 90 cm | Straight | 6 |
| EDOOC | 00 | C | , |





For all AquaDozer®.

| Part No. | Pack |
|----------|------|
| FAAI0 | 10 |


DOUBLE BLADE

The double blade ensures effective removal of liquid on all types of flat surfaces, even with grooves, tile joints or textured finish.




BLACK RUBBER

- All-purpose foam rubber
- Perfect for cleaning in most areas



RED RUBBER

- Excellent resistance to oils, acids, greases and solvents
- Ideal for cleaning in factories, garages and vehicle maintenance facilities



FLOOR SQUEEGEES

FLOOR SQUEEGEES

Ideal for commercial cleaning, UNGER floor squeegees effectively remove excess water, oil and other liquids from large hard floor areas. Use our product guide below to

identify the right squeegee for specific premises or job requirements.

| Squeegee | Dual Blade | Unsealed Concrete | Sealed Concrete | Steel | Industrial Carpet | Tarmac | Marble | Vinyl | Rubble Stone/Stoneware | Rubber Flooring | Tartan Track | Wood (Inside/Outside) | Areas of Application | Rubber | Solvent Resistance* | Oil Resistance** | Acid Resistance | Inserts & Threads | |
|------------------------------------|------------|-------------------|-----------------|----------|-------------------|----------|----------|----------|------------------------|-----------------|--------------|-----------------------|--|--|---------------------|------------------|-----------------|--------------------------------|-------|
| Sanitary Combi Squeegee + Brush | ~ | | | | | | ~ | ~ | ~ | ~ | ~ | | Push and dry: Water, liquids, solvents | Natural rubber (black and natural foam material) | [+] | + | + | ACME thread | p. 75 |
| WaterWand (black Rubber) | ~ | | | | | | ✓ | ✓ | ~ | ✓ | ✓ | | Push and dry: Water, liquids, solvents | Black neporene rubber (Chlorophen, foam material) | (+) | + | + | Universal socket | p. 75 |
| WaterWand (red Rubber) | ~ | | | | | | ✓ | ✓ | ~ | ~ | ✓ | | Push and dry: Water, liquids, solvents | Red neoprene rubber (Chlo- rophen, foam material) | + | ++ | ++ | Universal socket | p. 75 |
| AquaDozer® | | ~ | ~ | ✓ | ✓ | ~ | ~ | | | | | ✓ | Push away high volumes: Water, dirt, waste, shavings, snow | EPDM (Ethylene-propylene-diene) | + | + | + | Conical universal socket | p. 75 |

Floor Handles p. 77

^{*} Aliphatics, Aromatics, Ketones, Varnishes ** Lubricating Oils, Oils, Gasolines, Essential Oils, Carrier Oils

FLOOR HANDLES





- Ergonomic aluminium telescopic handles.

 Length can be adjusted and secured at any point to suite individual height

 Cone fits all UNGER mop holders
- Labels included for colour coding

| Part No. | Size | Ø | Colour | Pack |
|----------|---------------|-------|--------|------|
| FAPLW | 1,30 – 1,70 m | 21 mm | • | 1 |
| EZ25G | 1,30 – 2,50 m | 21 mm | | 10 |

MOPHANDLE

${\bf Lightweight\ aluminium\ mop\ handle.}$

- Mop holder snaps into place
 Solid and light, made of aluminium, with ergonomic plastic handle

| Part No. | Size | Ø | Colour | Pack |
|----------|--------|-------|--------|------|
| MH140 | 1,40 m | 23 mm | | 20 |

ProAlu 1,5° HANDLE

Handle with 1,5° taper socket.

- Lightweight and solid aluminium Handle Ø 25 mm

| Part No. | Size | Ø | Pack |
|----------|--------|-------|------|
| AL140 | 1,40 m | 25 mm | 10 |

ProAlu ACME

Handle with ACME threaded zinc alloy tip.

- Lightweight and solid aluminium
 Handle Ø 25 mm

| Part No. | Size | Ø | Pack | |
|----------|--------|-------|------|--|
| AL14A | 1,40 m | 25 mm | 10 | |

ProAlu 3,0° HANDLE

Handle with 3,0° taper socket combined with ACME threaded zinc alloy tip.

- Lightweight and solid aluminium
 Handle Ø 25 mm

| Part No. | Size | Ø | Pack |
|----------|--------|-------|------|
| AL14T | 1,40 m | 25 mm | 10 |

| Holder/Squee | egee | | FAPLW | MH140 | EZ25G | AL14A | AL14T | AL140 | |
|--------------|-----------------------------------|-------------------------|----------|--------------------|-------------|-------------|-------------|----------|-------|
| | Diameter | | Ø 21 mm | Ø 23 mm | Ø 21 mm | Ø 25 mm | Ø 25 mm | Ø 25 mm | |
| | | | Hole | Hole for C-Clip | ACME Thread | ACME Thread | ACME Thread | Conical | |
| | Inserts & Threads | | 3 | 1 | ı | | | | |
| - Land | erGO! Pocket Mop Holder | FAPMH | ~ | | ~ | | | | p. 71 |
| ale. | SmartColor Mop Holder | SM40G | ~ | ~ | ~ | | | | p. 73 |
| 4 | erGO! Mop Pad Holder | FAVMH | ~ | | ~ | | | | p. 71 |
| - | SmartColor Damp Mop Pad Holder | SV40G | ~ | ~ | ~ | | | | p. 73 |
| | Sanitary Combi Brush | PB45A PB55A | | | ~ | ✓ | ~ | | p. 75 |
| مل | SmartColor SWIVEL Brushes | SB20G CB20G | | | ~ | ✓ | ~ | | p. 72 |
| | WaterWand | MW450 HMxxx HWxxx | | ~ | | + FWAI0 | + FWAI0 | ~ | p. 75 |
| | AquaDozer® | FP600 FP900 | | | | + FAAI0 | ~ | | p. 75 |

FLOOR SCRAPERS & MAINTENANCE TOOLS

FLOOR SCRAPER LIGHT DUTY

For light jobs, with 1,20 m ergonomic bi-component handle.

- Convenient operation while standing
- Reversible sharp/blunt edge blade

| Part No. | Length | Blade | Pack |
|----------|--------|-------|------|
| LH120 | 1,20 m | 10 cm | 10 |

Stainless Steel Floor Scraper Blades 10 cm. Reversible sharp/blunt edge blade.

1 Dispenser = 10 blades 10 Dispensers



- For heavy duty jobs, with 1,50 m steel handle.
- Convenient operation while standing
- Reversible sharp/blunt edge blade

| Part No. | Length | Blade | Pack |
|----------|--------|-------|------|
| HDSS0 | 1,50 m | 20 cm | 1 |

Floor Scraper Blades 20 cm. Reversible sharp/blunt edge blade.

| HDSB0 | 1 Dispenser = 10 blades | 5 Dispensers |
|-------|-------------------------|--------------|
| | | |



HANG UP

All-purpose tool holder. Tools are inserted from front.

Available in 2 versions (3 or 6 holders).

- Tools snap into rubber rolls in front
- Practical and ideal for quick access
- Simply attach to wall, using dowels For diameter Ø 21 32 mm

| Part No. | Size | Ø | Info | Pack |
|----------|-------|----------|-----------|------|
| H0350 | 35 cm | 21-32 mm | 3 holders | 5 |
| H0700 | 70 cm | 21-32 mm | 6 holders | 5 |



HOLD UP

Tools are inserted from the bottom and held in place by strong rubber grips.

- Simply attach to wall, using dowels
- Equipped with hooks on the front to hang up smaller tools

| Part No. | Size | Pack | |
|----------|-------|------|--|
| HU450 | 45 cm | 5 | |



ERGO DUST PAN

For quick and thorough waste removal.

- Ergonomic and convenient
- Dust pan opens when raised, and retains the waste
- Telescopic handle (EDTBG), can be adjusted to suit individual height

| Part No. | Size | Туре | Pack |
|----------|---------------------------|------------|------|
| EDTBG | $83 \times 30 \text{ cm}$ | Telescopic | 6 |
| EDPBR | 83 × 30 cm | Standard | 6 |



Complete wax applicator with 1,40 m handle. – For applying finishing fluid to wooden floors

- Convenient operation while standing
- Swivel head, replaceable sleeve with snap fasteners

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| QS140 | 40 cm | Blended fabric* | 10 |

| wonderw | axer REPLA | CEMENT SLEEVE | |
|----------|------------|-----------------|------|
| Part No. | Size | Material | Pack |
| 05010 | //1 cm | Rlanded fahric* | 10 |

^{*65 %} polypropylene, 35 % polyester

WONDER WAXER

The superlight WonderWaxer is ideal for applying wax to almost all types of floor. The head swivels to reach difficult areas. The low-lint fabric sleeve is replaceable and fits firmly on the T-bar with snap fasteners. The WonderWaxer is perfect for use on gym and commercial floors. Perfectly fits to 28 l bucket QB220 on page 54.

MICROFIBRE CLOTH SYSTEM

MICROFIBRE CLOTHS





MICROFIBRE CLOTH SYSTEM

AVOID BACTERIAL CONTAMINATION!

- Five-colour system for optical coding optimises cleaning by dividing tools and areas
- Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination
- Colour-coding facilitates the application of specific chemicals, thus protecting valuables like furniture and floor coverings

CLOTH SURFACE GUIDE

- Guidelines for choosing the right microfibre for the right task
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs







MICROWIPE 2000




MICROWIPE 200

GRADING SYSTEM EXPLAINED

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. UNGER has established several performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

DURABILITY



TEST DESCRIPTIONS

- Durability (Wear Cycles)** The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or
- Scrub Factor (Abrasiveness)** The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices
- Absorbency* The higher the factor, the more liquid the cloth will absorb and hold
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating
- **ASTM Tests *Standard US Industry Tests

MICROFIBRE CLOTH SYSTEM

MICROFIBRE CLOTHS & SPRAYER




SmartColor MicroWipe

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

| Part No. | Size | Colour | Weight/m ² | Durability | Scrub Factor (Abrasivness) | Absorbency per m ² | Wash Cycles (approx.) | Material | Pack |
|----------|---------------------------|--------|-----------------------|------------|-------------------------------|----------------------------------|--------------------------|---------------|------|
| 4000 | | | | | | | | | |
| MF40R | 40 × 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF40J | 40 × 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF400 | 40 × 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF40B | 40 × 38 cm | | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| 2000 | | | | | | | | | |
| MB40R | 40 × 40 cm | | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB40J | 40 × 40 cm | • | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB400 | 40 × 40 cm | • | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB40B | $40 \times 40 \text{ cm}$ | | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| 200 | | | | | | | | | |
| ME40R | 40 × 40 cm | | 250 g | 200** | 39** | 1700 ml* | 200 | Microfibre*** | 10 |
| ME40J | 40 × 40 cm | 0 | 250 g | 200** | 39** | 1700 ml* | 200 | Microfibre*** | 10 |
| ME400 | 40 × 40 cm | • | 250 g | 200** | 39** | 1700 ml* | 200 | Microfibre*** | 10 |
| ME40B | 40 × 40 cm | | 250 g | 200** | 39** | 1700 ml* | 200 | Microfibre*** | 10 |
| ME40W | 40 × 40 cm | 0 | 250 g | 200** | 39** | 1700 ml* | 200 | Microfibre*** | 10 |

Colours may vary from batch to batch.

ASTM Tests *Standard US Industry Tests, Details p. 82 *80 % polyester, 20 % polyamide





SPRAYER ON A BELT

- $\label{eq:Fits} \textbf{Fits to the belt for optimum weight support.}$ – Flexible hose allows upside down spraying
- 1 l bottle included
- Compatible with standard bottles
 Includes colour coding labels

| Part No. | Content | Pack |
|----------|---------|------|
| SOABG | 1 l | 5 |

RECOMMENDED USAGE

General Washroom

Clinical

Food and Bar Area

General Low Risk Area

Bespoke or Site Specific



DUSTING

BRUSHES & DUSTERS





Oval shape ideal for cleaning fans, walls, etc.

- Perfect for dusting rough surfaces and removing dust from flat objects
- Fits on telescopic pole



For dusting of walls, surfaces and corners.

- Electrostatic energy attracts and holds dust Split-tipped soft poly fibres for effective dusting
- Locks on telescopic pole

| Part No. | Size | Pack | |
|----------|-------|------|--|
| COBW0 | 20 cm | 6 | |



StarDuster® PIPE BRUSH



Round and bendable for cleaning pipes and curved surfaces.

- Fits on telescopic pole

| Part No. | Pack | |
|----------|------|--|
| PIPEN | 5 | |



RUBBER CLEANING SPONGE

Re-useable dry cleaning sponge, absorbs dust particles.

- Made of natural vulcanised cellular rubber, the highly absorbent sponge effectively lifts away and holds dust, dirt and lint from any dry surface.
- Suitable for cleaning of painted walls and ceilings, wallpaper, painted metal and wood surfaces, fabrics and a number of additional surfaces
- Widely used in museum and antique restorations



Perfect for dusting delicate surfaces such as glass, cabinets and chandeliers.

- Reaches into the smallest gaps and surface crevices
- Fits on telescopic pole

| Part No. | Pack | |
|----------|------|--|
| FEDLIN | 6 | |



Flexible lambswool duster will not damage even most delicate surfaces.

- Natural oil in lambswool helps to remove dust with minimum effort
- Features bendable metal core for access to hard-to-reach areas
- Fits on telescopic pole

| | • • |
|----------|---------------------------|
| Part No. | Pack |
| LWDU0 | 6 |
| | |
| - | StarDuster® PRO DUSTER |

Telescopic lambswool duster with bendable head.

- Telescopic handle extends from 70 to 150 cm for dusting high objects
- Statically charged disposable sleeve grabs and retains dust
- Includes 1 disposable sleeve

| Part No. | Size | Info | Pack |
|----------|-------------|--------------------------|------------|
| LWDUR | 70 – 150 cm | Duster + 1 Disp. Sleeve* | 10 |
| DS10Y | 46 × 18 cm | Disposable Sleeve* | 1 Bag (10) |
| DS50Y | 46 × 18 cm | Disposable Sleeve* | 1 Bag (50) |

^{*100 %} polypropylene



Bendable plastic duster with microfibre sleeve, ideal for narrow spaces. Includes 3 disposable sleeves

- Made from strong and flexible plastic
- Microfibre sleeve is removable and machine washable
- Fits securely to pole with Locking Cone

| Part No. | Size | Material | Pack |
|----------|-------|-------------|------|
| PFD7G | 75 cm | Microfibre* | 10 |

*100 % polyester



Great for cleaning overhead, underneath furniture and around corners. Includes 3 disposable sleeves

- Bends and retains shape to clean hard-to-reach areas
- Microfibre sleeve is removable and machine washable
- Fits securely to pole with Locking Cone

| Part No. | Size | Material | Pack | |
|----------|-------|-------------|------|--|
| PXD7G | 75 cm | Microfibre* | 10 | |

*100 % polyester



StarDuster® PRO FLAT/FLEX SLEEVES

Disposable or reusable replacement microfibre sleeves.

- Effectively lift and hold the dirt
- Microfibre sleeve is machine washable

| Part No. | Info | Material | Pack |
|----------|-------------------|----------|------------|
| PS50W | Disposable Sleeve | ** | 1 Bag (50) |
| PM05W | Microfibre Sleeve | * | 1 Bag (5) |

^{*100 %} polyester, **100 % polypropylene

WASHROOM CLEANING

TOILET & WASHROOM CLEANING



ERGO TOILET BRUSH COMPLETE

Complete kit for professional application.

- Features 66 cm handle with 360° cleaning radius Replaceable brush heads or swabs available
- Hygienic, ergonomic holder is lightweight and keeps bacteria isolated
- Holder can be hand-carried or hung on cart and features a detachable base for easy emptying

| Part No. | Content | Pack |
|----------|------------------------------------|------|
| BBWHR | Brush, Holder, Replacement Head | 5 |



Ergonomic toilet brush for professional application.

- Features 66 cm handle with 360° cleaning radius
 Replaceable brush heads and swabs available

| Part No. | Content | Pack | |
|----------|-----------------------------|------|--|
| BBCOR | 2 × Brush head + 1 × handle | 5 | |
| BBHLR | Brush Holder | 5 | |
| BBRHR | 2 × Brush head | 5 | |



NiftyNabber® WASHROOM

The hygienic all-purpose grabber.

- Keeps refuse at a distance with a 53 cm long handle
- Solid design made of aluminium and metal
- Powerful rubber-coated claws for firm and precise grip of objects

| Part No. | Size | Pack |
|----------|-------|------|
| NN40R | 53 cm | 5 |



- Ergonomic squeegee for mirrors and smooth surfaces.

 Ergonomic bi-component handle, designed for comfortable hold
- Stainless steel S-Channel with variable positioning options
- Professional quality Soft Rubber for optimal cleaning results

| Part No. | Size | Pack |
|----------|-------|------|
| ES35R | 35 cm | 10 |
| NE350 | 35 cm | 10 |
| RR350 | 35 cm | 10 |



StripWasher® WASHER SLEEVE

Durable microfibre washer for cleaning mirrors and walls.

- Superior cleaning power
- High water retention up to 6 times its own weight, ideal for cleaning larger areas
 Machine washable up to 500 times sleeve with side scrub pad

| Part No. | Size | Material | Pack | |
|----------|-------|--------------|------|--|
| NS45R | 45 cm | Microfibre** | 10 | |

^{**}Support material: 100 % polyamide; Fibres: 100 % polyethylene



ERGO WALL SQUEEGEE, 35 cm

- Light twin blade foam rubber for drying tiles and grout lines
- Streak-free cleaning
- T-bar material made of acid proof polypropylene
- Ergonomic handle, detachable squeegee also fits on pole

| Part No. | Size | Colour | Pack |
|----------|-------|--------|------|
| EW35G | 35 cm | | 10 |




SPARE PARTS

Extensive range of spare parts

Always on the safe side

In a separate list **UNGER** offers spare parts and consumables for the most common products from all categories. You can obtain the spare parts from your specialist dealer.





SPARE PARTS LIST DOWNLOAD

This QR code leads you to the digital spare parts overview on the **UNGER** website:





WHENEVER YOU NEED INFORMATION -YOU CAN FIND US EVERYWHERE

Discover everything you need to know about **UNGER** products and the latest cleaning technologies on our homepage ungerglobal.com and in our social media channels:



Terms of delivery and payment: This product assortment, valid from 01.01.2024, replaces all previous lists. The general terms of delivery and payment of UNGER Germany GmbH apply · No responsibility accepted for accuracy; subject to change without notice.

UNGER Germany GmbH

Piepersberg 44 D-42653 Solingen Tel.: (49) 0212 2207 260 Fax: (49) 0212 2207 222

ungereurope@ungerglobal.com

UNGER Enterprises LLC. 425 Asylum Street Bridgeport, CT 06610

Tel.: (1) 800 431 2324 Fax: (1) 800 367 1988 unger@ungerglobal.com

UNGER UK Ltd.

F1 Deansgate, 62-70 Tettenhall Road Wolverhampton, WV1 4TH UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com





