



Quality Tools for Smart Cleaning

## **PURE WATER TECHNOLOGY**

Deionisation filters:  
the perfect way to cleaning efficiency

## **WATER FED POLE SYSTEM**

Safe and fast cleaning at heights of up to 6 m

## **nLite® HydroPower DI STARTER KIT**

Great way to start cleaning with Pure Water



**NEW**



**HOW  
UNGER'S PURE  
WATER TECHNOLOGY  
CAN MAKE YOUR BUSINESS GROW**

Meet the new UNGER DI Filter  
nLite® HydroPower DI



Quality Tools for Smart Cleaning

# Pure Water

## The modern art of professional window cleaning

In traditional window cleaning the glass is lathered with cleaning liquid solution, which is then wiped away with a squeegee or a cloth to reveal the clean and dry glass. The corners and edges along the window frame may need extra attention, which takes time and effort, especially when cleaning at height.

**Pure water cleaning allows to streamline this time consuming process to one simple step.**

### What is Pure Water?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks. Such impurities are referred to as TDS (Total Dissolved Solids) and are measured in ppm (parts per million). The water is considered 100% demineralised (pure) when its TDS is measured at 0 ppm, whilst the 180 ppm is considered as average water hardness.

Deionisation (DI) filter systems such as **UNGER HydroPower** immediately produce 100% pure water, utilising ion exchange resin, which extracts and retains the minerals present in tap water. The resin eventually becomes saturated with minerals and requires replacement; the longevity of each resin refill depends on water hardness – the softer the water, the longer the resin will serve.

### Why use pure water for cleaning?

Pure water offers superior cleaning power and results without the need for chemicals or wiping the glass, leaving glass and surfaces spot and streak free – saving time, effort and money.

### One Step Cleaning

The tap water passes through a filter and is then fed through the hose to a brush, attached to the pole. The brush provides gentle scrubbing action, whilst pure water cleans and rinses the surface. Once cleaned, the glass dries naturally to a perfect high shine finish.

Applied with an ergonomic, professional system such as **UNGER nLite®**, pure water is the fastest and most effective method of safe cleaning at height.



# nLITE® HYDRO POWER



**FastLock Opening**  
Easy & quick opening of the bottle, with pressure release valve.



# nLITE<sup>®</sup> HYDRO POWER

## Start Cleaning with Pure Water! All you need is this **UNGER nLite<sup>®</sup> HydroPower DI Starter Set**

Kit Contents:

**nLite<sup>®</sup> HydroPower DI 120l +**

**nLite<sup>®</sup> Aluminium Master Pole, 6,00m +**

**nLite<sup>®</sup> Hose, 11m +**

**nLite<sup>®</sup> Radius Brush, 27cm +**

**HiFlo™ MultiLink Angle-Adapter**

### + SIMPLE & EFFECTIVE

- One step cleaning – no need to dry windows.
- Large areas can be cleaned faster than using traditional methods.
- System offers easiest handling in every detail.
- Quick resin exchange and most efficient use of material – no waste, also good for the environment.

### + SAFE & FAST

- Clean at heights of up to 6 m safely from the ground. Add an Extension Pole for extra 3 m reach.
- No need to use dangerous ladders or hire expensive equipment.
- Improved safety = lower insurance cost.
- No electric power needed.

### + EXPAND YOUR BUSINESS

- Lower operative cost per m<sup>2</sup> than using classic window cleaning methods.
- Less working time = higher efficiency.
- Lower costs + higher efficiency = greater saving and earning opportunities!

### UNGER nLite<sup>®</sup> HydroPower DI STARTER SET



#### QuickChange Resin Bags

Quick and easy to change on the job. No more wasted resin.



#### FloWater Technology

Effectively distributes water flow through the resin, increasing pure water output.



#### TDS-Meter (Total Dissolved Solids)

Monitor incoming and outgoing water hardness in seconds.



# Start your Pure Water business with this attractive Starter Kit:

## + nLite® HydroPower DI120

The perfect entry level filter to purify water. Compact, handy and perfect for smaller jobs. It includes 1 resin bag (6 l resin, 1200 l filter capacity at 180 ppm).



## + nLite® ALUMINIUM MASTER POLE

Aluminium pole with excellent rigidity thanks to modern construction technology. Recommended for working at heights of up to 10 m / 35 ft. Ultimate Strength of Material: 30 GPa. Extended Length: 6,00m. Weight: 2,0 kg



## + nLite® WATER HOSE

Connects the nLite® pole with the pure water filter. Includes standard male hose connector, alu for water filter.



## + nLite® RADIUS BRUSH

Lightweight, solvent resistant synthetic bristles are hard wearing and effective in removing even the most stubborn dirt. Plastic porous core with smooths solid skin on the outside – cutting edge engineering ensures structural stability and lighter weight than solid block manufacturing. Perfect also to clean sills. Weight: 408g, 4 jet positions



## + HiFlo™ MultiLink ADAPTER

Robust plastic angle adapter with screw adjustment.



## UNGER nLite® HydroPower DI Starter Set

DI12T	<b>nLite® HydroPower DI 120l</b> with TDS-Meter (Total Dissolved Solids)
AN60G	<b>nLite® Aluminium Master Pole</b> , 4 sections, 6,00m
NL11G	<b>nLite® Hose</b> , 11m
NLR27	<b>nLite® Radius Brush</b> , 27cm
FTGOS	<b>HiFlo™ MultiLink Adapter</b>
DIK12	

### Resin Refill:

DIB61 1x **QuickChange Resin Bag** 6l

All product images for illustration purposes only. Actual product may vary.

**Terms of delivery and payment:** All prices are recommended retail prices, plus VAT - The general terms of delivery and payment of **UNGER** Germany GmbH apply. No responsibility accepted for accuracy; subject to change without notice.



Quality Tools for Smart Cleaning

**Unger Germany GmbH**  
Piepersberg 44  
D-42653 Solingen  
GERMANY  
Tel.: (49) 212 2207 0  
Fax: (49) 212 2207 222  
ungereurope@ungerglobal.com

**Unger UK Ltd.**  
9 Planetary Ind. Est.  
Willenhall, WV13 3XA  
UNITED KINGDOM  
Tel.: (44) 01902 306633  
Fax: (44) 01902 306644  
ungeruk@ungerglobal.com

**Unger Enterprises Inc.**  
425 Asylum Street  
Bridgeport, CT 06610  
USA  
Tel.: (1) 800 431 2324  
Fax: (1) 800 367 1988  
unger@ungerglobal.com